

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062824\
 Data File : VW029409.D
 Acq On : 28 Jun 2024 19:34
 Operator : SY/MD
 Sample : P3088-06
 Misc : 4.64g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CZ3

Quant Time: Jun 29 02:15:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jun 29 02:05:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	465891	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	413040	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	178980	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	123308	19.122	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.480%
7) Chloroethane-d5	2.899	69	100076	18.378	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.520%
11) 1,1-Dichloroethene-d2	4.021	65	59638	19.155	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.600%
21) 2-Butanone-d5	7.075	46	68319	35.412	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.820%
24) Chloroform-d	7.648	84	276886	19.923	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.680%
26) 1,2-Dichloroethane-d4	8.301	65	156591	19.624	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	78.480%
32) Benzene-d6	8.276	84	541046	21.566	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.280%
36) 1,2-Dichloropropane-d6	9.276	67	176971	22.191	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.760%
41) Toluene-d8	10.325	98	485136	21.857	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.440%
43) trans-1,3-Dichloroprop...	10.575	79	62288	19.382	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.520%
47) 2-Hexanone-d5	10.922	63	47389	37.906	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.820%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	122087	19.235	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.920%
66) 1,2-Dichlorobenzene-d4	13.849	152	140735	22.653	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.600%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	17834	2.177	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062824\
Data File : VW029409.D
Acq On : 28 Jun 2024 19:34
Operator : SY/MD
Sample : P3088-06
Misc : 4.64g/10mL/MSVOA_W/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4CZ3


Quant Time: Jun 29 02:15:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jun 29 02:05:50 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.177 ug/L
RT: 4.917 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW029409.D
Acq: 28 Jun 2024 19:34

Instrument :
MSVOA_W
ClientSampleId :
A4CZ3



Tgt Ion:	84	Resp:	17834
Ion	Ratio	Lower	Upper
84	100		
86	65.2	41.4	77.0
49	141.7	95.7	177.7

