

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062923\
 Data File : VW026440.D
 Acq On : 29 Jun 2023 18:26
 Operator : SY/MD
 Sample : 03452-21
 Misc : 5.07g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46Q0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/30/2023
 Supervised By :Mahesh Dadoda 06/30/2023

Quant Time: Jun 30 01:20:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 30 01:16:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	735129	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	482007	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	130278	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	183953	21.977	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.920%
7) Chloroethane-d5	2.893	69	173746	25.492	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.960%
11) 1,1-Dichloroethene-d2	4.015	65	79521	18.988	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.960%
21) 2-Butanone-d5	7.075	46	139062	43.962	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.920%
24) Chloroform-d	7.648	84	342855	19.134	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.520%
26) 1,2-Dichloroethane-d4	8.307	65	227964m	23.276	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.120%
32) Benzene-d6	8.270	84	671279	23.946	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.800%
36) 1,2-Dichloropropane-d6	9.270	67	304007	34.026	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	136.120%#
41) Toluene-d8	10.325	98	697828	28.181	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	112.720%
43) trans-1,3-Dichloroprop...	10.581	79	99925	27.746	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	111.000%
47) 2-Hexanone-d5	10.922	63	113500	75.962	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	151.920%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	196658	28.507	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	114.040%
66) 1,2-Dichlorobenzene-d4	13.848	152	105128	23.175	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.680%
Target Compounds					Qvalue	
13) Acetone	4.118	43	217624	97.389	ug/L	92
18) Methyl tert-butyl Ether	5.429	73	13811	0.954	ug/L #	87
22) 2-Butanone	7.173	43	99905	27.270	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062923\
Data File : VW026440.D
Acq On : 29 Jun 2023 18:26
Operator : SY/MD
Sample : 03452-21
Misc : 5.07g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A46Q0

Quant Time: Jun 30 01:20:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062923SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 30 01:16:39 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 06/30/2023
Supervised By : Mahesh Dadoda 06/30/2023

