

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW063023\
 Data File : VW026483.D
 Acq On : 30 Jun 2023 19:30
 Operator : SY/MD
 Sample : 03504-02
 Misc : 4.90g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46S2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/03/2023
 Supervised By :Mahesh Dadoda 07/07/2023

Quant Time: Jul 01 01:26:37 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 30 23:38:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1076103	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	883955	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.555	152	349115	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	229456	18.727	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.920%		
7) Chloroethane-d5	2.899	69	196325	19.678	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	78.720%		
11) 1,1-Dichloroethene-d2	4.027	65	121163	19.764	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.040%		
21) 2-Butanone-d5	7.075	46	207440	44.799	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.600%		
24) Chloroform-d	7.648	84	564041m	21.504	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.000%		
26) 1,2-Dichloroethane-d4	8.306	65	323370	22.555	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.240%		
32) Benzene-d6	8.276	84	1175348	22.862	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.440%		
36) 1,2-Dichloropropane-d6	9.270	67	387770	23.666	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.680%		
41) Toluene-d8	10.324	98	979579	21.571	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.280%		
43) trans-1,3-Dichloroprop...	10.580	79	146072	22.117	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.480%		
47) 2-Hexanone-d5	10.922	63	141769	51.737	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	103.480%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	288367	22.793	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	91.160%		
66) 1,2-Dichlorobenzene-d4	13.848	152	253584	20.860	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	83.440%		
Target Compounds					Qvalue	
13) Acetone	4.124	43	33088	10.115	ug/L	99
14) Carbon disulfide	4.386	76	40194	1.031	ug/L #	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW063023\
Data File : VW026483.D
Acq On : 30 Jun 2023 19:30
Operator : SY/MD
Sample : 03504-02
Misc : 4.90g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
A46S2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/03/2023
Supervised By :Mahesh Dadoda 07/07/2023

Quant Time: Jul 01 01:26:37 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062923SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 30 23:38:58 2023
Response via : Initial Calibration









#13
Acetone
Concen: 10.115 ug/L
RT: 4.124 min Scan# 308
Delta R.T. 0.006 min
Lab File: VW026483.D
Acq: 30 Jun 2023 19:30

Instrument :
MSVOA_W
ClientSampleId :
A46S2

Tgt Ion: 43 Resp: 3308
Ion Ratio Lower Upper
43 100
58 32.2 0.0 63.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/03/2023
Supervised By :Mahesh Dadoda 07/07/2023



#14
Carbon disulfide
Concen: 1.031 ug/L
RT: 4.386 min Scan# 410
Delta R.T. -0.006 min
Lab File: VW026483.D
Acq: 30 Jun 2023 19:30

Tgt Ion: 76 Resp: 40194
Ion Ratio Lower Upper
76 100
78 12.4 7.1 10.7#

