

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW070125\
 Data File : VW031738.D
 Acq On : 01 Jul 2025 10:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 02 03:50:00 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 02 03:49:43 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	0.341	0.332	2.6	112	0.00
3 P	Chloromethane	0.411	0.399	2.9	111	0.00
4 C	Vinyl Chloride	0.540	0.540	0.0	110	0.00
5 T	Bromomethane	0.421	0.400	5.0	106	0.00
6 T	Chloroethane	0.367	0.357	2.7	108	0.00
7 T	Trichlorofluoromethane	0.490	0.458	6.5	102	0.00
8 T	Diethyl Ether	0.372	0.358	3.8	105	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.544	0.534	1.8	110	-0.01
10 T	Methyl Iodide	0.839	0.794	5.4	102	-0.01
11 T	Tert butyl alcohol	0.044	0.044	0.0	98	0.00
12 CM	1,1-Dichloroethene	0.596	0.583	2.2#	110	0.00
13 T	Acrolein	0.080	0.072	10.0	90	0.00
14 T	Allyl chloride	0.914	0.922	-0.9	108	0.00
15 T	Acrylonitrile	0.183	0.182	0.5	100	0.00
16 T	Acetone	0.177	0.168	5.1	108	0.00
17 T	Carbon Disulfide	1.594	1.575	1.2	107	-0.01
18 T	Methyl Acetate	0.507	0.465	8.3	92	0.00
19 T	Methyl tert-butyl Ether	1.011	1.050	-3.9	106	0.00
20 T	Methylene Chloride	0.814	0.686	15.7	104	0.00
21 T	trans-1,2-Dichloroethene	0.633	0.634	-0.2	108	0.00
22 T	Diisopropyl ether	1.783	1.844	-3.4	108	-0.01
23 T	Vinyl Acetate	1.218	1.291	-6.0	108	0.00
24 P	1,1-Dichloroethane	1.156	1.153	0.3	108	0.00
25 T	2-Butanone	0.231	0.240	-3.9	101	0.00
26 T	2,2-Dichloropropane	0.674	0.671	0.4	107	-0.01
27 T	cis-1,2-Dichloroethene	0.728	0.732	-0.5	107	0.00
28 T	Bromochloromethane	0.510	0.488	4.3	101	0.00
29 T	Tetrahydrofuran	0.158	0.161	-1.9	101	0.00
30 C	Chloroform	1.228	1.222	0.5#	106	0.00
31 T	Cyclohexane	1.022	0.969	5.2	108	0.00
32 T	1,1,1-Trichloroethane	0.946	0.962	-1.7	109	0.00
33 S	1,2-Dichloroethane-d4	0.718	0.690	3.9	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.326	0.335	-2.8	103	0.00
36 T	1,1-Dichloropropene	0.472	0.506	-7.2	110	0.00
37 T	Ethyl Acetate	0.298	0.320	-7.4	105	-0.01
38 T	Carbon Tetrachloride	0.481	0.508	-5.6	109	0.00
39 T	Methylcyclohexane	0.587	0.630	-7.3	110	0.00
40 TM	Benzene	1.397	1.471	-5.3	106	0.00
41 T	Methacrylonitrile	0.160	0.187	-16.9	106	0.00
42 TM	1,2-Dichloroethane	0.472	0.496	-5.1	106	0.00
43 T	Isopropyl Acetate	0.513	0.565	-10.1	105	0.00
44 TM	Trichloroethene	0.349	0.359	-2.9	103	0.00
45 C	1,2-Dichloropropane	0.338	0.356	-5.3#	106	0.00
46 T	Dibromomethane	0.218	0.232	-6.4	105	0.00
47 T	Bromodichloromethane	0.511	0.540	-5.7	105	0.00
48 T	Methyl methacrylate	0.252	0.269	-6.7	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW070125\
 Data File : VW031738.D
 Acq On : 01 Jul 2025 10:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 02 03:50:00 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 02 03:49:43 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	99	0.00
50 S	Toluene-d8	1.214	1.271	-4.7	104	0.00
51 T	4-Methyl-2-Pentanone	0.295	0.321	-8.8	102	0.00
52 CM	Toluene	0.894	0.952	-6.5#	108	0.00
53 T	t-1,3-Dichloropropene	0.480	0.532	-10.8	106	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.594	-9.2	107	0.00
55 T	1,1,2-Trichloroethane	0.286	0.300	-4.9	104	0.00
56 T	Ethyl methacrylate	0.387	0.434	-12.1	105	0.00
57 T	1,3-Dichloropropane	0.501	0.524	-4.6	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.234	-9.9	103	0.00
59 T	2-Hexanone	0.200	0.223	-11.5	101	0.00
60 T	Dibromochloromethane	0.341	0.368	-7.9	104	0.00
61 T	1,2-Dibromoethane	0.286	0.306	-7.0	105	0.00
62 S	4-Bromofluorobenzene	0.447	0.470	-5.1	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.327	0.328	-0.3	103	0.00
65 PM	Chlorobenzene	1.103	1.167	-5.8	108	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.386	-9.7	109	0.00
67 C	Ethyl Benzene	1.913	2.052	-7.3#	108	0.00
68 T	m/p-Xylenes	0.735	0.791	-7.6	107	0.00
69 T	o-Xylene	0.681	0.733	-7.6	106	0.00
70 T	Styrene	1.177	1.287	-9.3	105	0.00
71 P	Bromoform	0.210	0.236	-12.4	107	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.803	4.009	-5.4	106	0.00
74 T	N-amyl acetate	1.025	1.172	-14.3	109	0.00
75 P	1,1,2,2-Tetrachloroethane	0.844	0.881	-4.4	103	0.00
76 T	1,2,3-Trichloropropane	0.646	0.662	-2.5	101	0.00
77 T	Bromobenzene	0.848	0.920	-8.5	117	0.00
78 T	n-propylbenzene	4.554	4.866	-6.9	108	0.00
79 T	2-Chlorotoluene	2.743	2.941	-7.2	108	0.00
80 T	1,3,5-Trimethylbenzene	3.148	3.400	-8.0	107	0.00
81 T	trans-1,4-Dichloro-2-butene	0.277	0.302	-9.0	103	0.00
82 T	4-Chlorotoluene	2.879	3.050	-5.9	107	0.00
83 T	tert-Butylbenzene	2.697	2.894	-7.3	110	0.00
84 T	1,2,4-Trimethylbenzene	3.190	3.435	-7.7	109	0.00
85 T	sec-Butylbenzene	4.048	4.375	-8.1	109	0.00
86 T	p-Isopropyltoluene	3.336	3.643	-9.2	110	0.00
87 T	1,3-Dichlorobenzene	1.701	1.823	-7.2	110	0.00
88 T	1,4-Dichlorobenzene	1.741	1.762	-1.2	103	0.00
89 T	n-Butylbenzene	3.241	3.517	-8.5	110	0.00
90 T	Hexachloroethane	0.602	0.644	-7.0	108	0.00
91 T	1,2-Dichlorobenzene	1.555	1.582	-1.7	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.165	0.165	0.0	98	0.00
93 T	1,2,4-Trichlorobenzene	0.959	1.034	-7.8	110	0.00
94 T	Hexachlorobutadiene	0.463	0.516	-11.4	123	0.00
95 T	Naphthalene	2.351	2.584	-9.9	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW070125\
Data File : VW031738.D
Acq On : 01 Jul 2025 10:03
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jul 02 03:50:00 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 02 03:49:43 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.881	0.926	-5.1	106	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5