

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070219\
 Data File : VW011127.D
 Acq On : 03 Jul 2019 00:49
 Operator : SY/VA
 Sample : K3599-17
 Misc : 4.99G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAM26

Manual Integrations
 APPROVED

MMDadoda
 7/3/2019 11:02:54 PM

Quant Time: Jul 03 07:15:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 03 05:51:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	276084	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	252177	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	109032	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	80909	19.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.76%
7) Chloroethane-d5	2.89	69	60882	20.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.32%
10) 1,1-Dichloroethene-d2	4.01	63	142501	15.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.84%
20) 2-Butanone-d5	7.07	46	90751	54.65	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.30%
24) Chloroform-d	7.64	84	178141	23.54	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.16%
26) 1,2-Dichloroethane-d4	8.31	65	115699m	24.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.32%
29) Benzene-d6	8.27	84	363774	23.42	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.68%
33) 1,2-Dichloropropane-d6	9.27	67	123866	24.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.96%
37) Toluene-d8	10.32	98	320268	23.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.52%
38) trans-1,3-Dichloropropene-	10.58	79	43307	20.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.52%
39) 2-Hexanone-d5	10.92	63	55212	47.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.18%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	107428	25.67	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	108107	25.83	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.32%

Target Compounds					Ovalue
13) Acetone	4.13	43	6947	4.283 ug/L	95
35) Trichloroethene	9.09	95	10805	2.717 ug/L	97
47) Tetrachloroethene	10.86	164	17988	5.984 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070219\
Data File : VW011127.D
Acq On : 03 Jul 2019 00:49
Operator : SY/VA
Sample : K3599-17
Misc : 4.99G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAM26

Manual Integrations
APPROVED

MMDadoda
7/3/2019 11:02:54 PM

Quant Time: Jul 03 07:15:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 03 05:51:41 2019
Response via : Initial Calibration

