

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070219\
 Data File : VW011113.D
 Acq On : 02 Jul 2019 17:23
 Operator : SY/VA
 Sample : K3599-08
 Misc : 5.09G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAM17

Quant Time: Jul 03 05:51:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 02 12:27:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	306309	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	276724	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	128602	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	74550	15.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.76%
7) Chloroethane-d5	2.88	69	54878	16.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.88%
10) 1,1-Dichloroethene-d2	4.01	63	131337	13.26	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	53.04%
20) 2-Butanone-d5	7.07	46	87193	47.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.66%
24) Chloroform-d	7.64	84	162533	19.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.44%
26) 1,2-Dichloroethane-d4	8.30	65	107452	20.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.12%
29) Benzene-d6	8.27	84	332109	19.48	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.92%
33) 1,2-Dichloropropane-d6	9.27	67	112082	20.19	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.76%
37) Toluene-d8	10.32	98	293495	19.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.28%
38) trans-1,3-Dichloropropene-	10.58	79	42267	17.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.64%
39) 2-Hexanone-d5	10.92	63	53707	42.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.38%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	101228	22.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	101462	20.55	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.20%


Target Compounds					Ovalue
13) Acetone	4.12	43	67861	37.709 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070219\
Data File : VW011113.D
Acq On : 02 Jul 2019 17:23
Operator : SY/VA
Sample : K3599-08
Misc : 5.09G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAM17

Quant Time: Jul 03 05:51:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 02 12:27:54 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 37.709 ug/L
 RT: 4.12 min Scan# 363
 Delta R.T. 0.00 min
 Lab File: VW011113.D
 Acq: 02 Jul 2019 17:23

Instrument :
 MSVOA_W
 ClientSampleId :
 GAM17

Tot Ion: 43 Resp: 67861
 Ion Ratio Lower Upper
 43 100
 58 26.6 0.0 55.0

