

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW070523\
 Data File : VW026528.D
 Acq On : 05 Jul 2023 13:18
 Operator : SY/MD
 Sample : 03501-08RE
 Misc : 5.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46X3RE

Quant Time: Jul 06 02:28:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 04 13:17:14 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	849279	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	580318	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	156302	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	178812	14.002	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.000%
7) Chloroethane-d5	2.893	69	188964	17.886	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.560%
11) 1,1-Dichloroethene-d2	4.021	65	75007	12.593	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	50.360%
21) 2-Butanone-d5	7.075	46	132038	27.027	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	54.060%
24) Chloroform-d	7.648	84	474428	18.961	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	75.840%
26) 1,2-Dichloroethane-d4	8.307	65	287574	19.761	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	79.040%
32) Benzene-d6	8.270	84	947425	25.606	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.440%
36) 1,2-Dichloropropane-d6	9.276	67	304208	25.788	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.160%
41) Toluene-d8	10.325	98	740651	22.297	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.200%
43) trans-1,3-Dichloroprop...	10.575	79	90810	18.980	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.920%
47) 2-Hexanone-d5	10.922	63	100819	42.925	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.840%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	199697	19.347	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.400%
66) 1,2-Dichlorobenzene-d4	13.855	152	117198	18.880	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	75.520%
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	85436	28.197	ug/L	97
22) 2-Butanone	7.179	43	21280	3.774	ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW070523\
Data File : VW026528.D
Acq On : 05 Jul 2023 13:18
Operator : SY/MD
Sample : 03501-08RE
Misc : 5.03g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A46X3RE

Quant Time: Jul 06 02:28:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070323SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 04 13:17:14 2023
Response via : Initial Calibration









#13
Acetone
Concen: 28.197 ug/L
RT: 4.118 min Scan# 30
Delta R.T. -0.000 min
Lab File: VW026528.D
Acq: 05 Jul 2023 13:18

Instrument :
MSVOA_W
ClientSampleId :
A46X3RE

Tgt Ion: 43 Resp: 85436
Ion Ratio Lower Upper
43 100
58 28.4 0.0 59.6



#22
2-Butanone
Concen: 3.774 ug/L
RT: 7.179 min Scan# 868
Delta R.T. 0.006 min
Lab File: VW026528.D
Acq: 05 Jul 2023 13:18

Tgt Ion: 43 Resp: 21280
Ion Ratio Lower Upper
43 100
72 16.4 12.0 36.1

