

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071025\
 Data File : VW031795.D
 Acq On : 10 Jul 2025 12:19
 Operator : SY/MD
 Sample : Q2480-03RE
 Misc : 6.78g/5mL/MSVOA_W/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GPX3RE

Quant Time: Jul 11 02:18:04 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	62804	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	119782	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	95395	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	38547	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	35039	38.876	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	77.760%
35) Dibromofluoromethane	7.898	113	29482	37.719	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	75.440%
50) Toluene-d8	10.325	98	104494	35.924	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	71.840%#
62) 4-Bromofluorobenzene	12.617	95	34441	32.175	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	64.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071025\
Data File : VW031795.D
Acq On : 10 Jul 2025 12:19
Operator : SY/MD
Sample : Q2480-03RE
Misc : 6.78g/5mL/MSVOA_W/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GPX3RE

Quant Time: Jul 11 02:18:04 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:35:17 2025
Response via : Initial Calibration

