

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071122\
 Data File : VW023594.D
 Acq On : 11 Jul 2022 11:23
 Operator : SY/VA
 Sample : N3626-07
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/12/2022
 Supervised By :Mahesh Dadoda 07/12/2022

Quant Time: Jul 12 01:42:12 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 12 01:39:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	325183	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	311335	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	143132	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	121666	20.669	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.680%		
7) Chloroethane-d5	2.879	69	64478	19.152	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.600%		
11) 1,1-Dichloroethene-d2	4.013	63	103259m	15.559	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	62.240%		
21) 2-Butanone-d5	7.080	46	48914	40.015	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	80.040%		
24) Chloroform-d	7.647	84	199636	21.553	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.200%		
26) 1,2-Dichloroethane-d4	8.305	65	110891m	21.182	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	84.720%		
32) Benzene-d6	8.275	84	381262	22.133	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.520%		
36) 1,2-Dichloropropane-d6	9.275	67	110746	21.959	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	87.840%		
41) Toluene-d8	10.323	98	349278	20.918	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	83.680%		
43) trans-1,3-Dichloroprop...	10.579	79	45425	20.178	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	80.720%		
47) 2-Hexanone-d5	10.921	63	36534	37.039	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	74.080%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	95940	19.175	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	76.680%		
66) 1,2-Dichlorobenzene-d4	13.853	152	119351	23.112	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.440%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071122\
Data File : VW023594.D
Acq On : 11 Jul 2022 11:23
Operator : SY/VA
Sample : N3626-07
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/12/2022
Supervised By :Mahesh Dadoda 07/12/2022

Quant Time: Jul 12 01:42:12 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 12 01:39:48 2022
Response via : Initial Calibration

