

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071125\
 Data File : VW031822.D
 Acq On : 11 Jul 2025 16:10
 Operator : SY/MD
 Sample : Q2542-01
 Misc : 5.00g/5mL/MSVOA_W/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-245

Quant Time: Jul 11 22:49:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	167452	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	360619	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.636	117	343947	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	165000	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	139262	57.950	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	115.900%
35) Dibromofluoromethane	7.904	113	116912	49.682	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	99.360%
50) Toluene-d8	10.331	98	411542	46.995	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	93.980%
62) 4-Bromofluorobenzene	12.617	95	152271	47.250	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	94.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071125\
Data File : VW031822.D
Acq On : 11 Jul 2025 16:10
Operator : SY/MD
Sample : Q2542-01
Misc : 5.00g/5mL/MSVOA_W/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VNJ-245

Quant Time: Jul 11 22:49:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:35:17 2025
Response via : Initial Calibration

