




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
 Data File : VW023630.D
 Acq On : 13 Jul 2022 02:19
 Operator : SY/VA
 Sample : N3678-08
 Misc : 6.37g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B27

Manual IntegrationsAPPROVED

Quant Time: Jul 13 06:15:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 13 02:42:59 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/13/2022
 Supervised By :Mahesh Dadoda 07/13/2022



TIC: VW023630.D\data.ms

(20) cis-1,2-Dichloroethene (T)

7.251min (+ 0.079) 0.04 ug/L

response 256

Ion	Exp%	Act%
96.00	100.00	100.00
61.00	118.90	102.07
68.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
 Data File : VW023630.D
 Acq On : 13 Jul 2022 02:19
 Operator : SY/VA
 Sample : N3678-08
 Misc : 6.37g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B27

Manual IntegrationsAPPROVED

Quant Time: Jul 13 06:15:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 13 02:42:59 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/13/2022
 Supervised By :Mahesh Dadoda 07/13/2022



TIC: VW023630.D\data.ms

(20) cis-1,2-Dichloroethene (T)

7.165min (-0.006) 93.20 ug/L m

response 536304

Ion	Exp%	Act%
96.00	100.00	100.00
61.00	118.90	124.59
68.00	0.00	0.03#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
Data File : VW023630.D
Acq On : 13 Jul 2022 02:19
Operator : SY/VA
Sample : N3678-08
Misc : 6.37g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B27

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/13/2022
Supervised By :Mahesh Dadoda 07/13/2022

Quant Time: Jul 13 06:15:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 13 02:42:59 2022
Response via : Initial Calibration



TIC: VW023630.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.384min (+ 0.079) 0.06 ug/L

response 331

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.00	46.22
51.00	94.50	116.31
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
 Data File : VW023630.D
 Acq On : 13 Jul 2022 02:19
 Operator : SY/VA
 Sample : N3678-08
 Misc : 6.37g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B27

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/13/2022
 Supervised By :Mahesh Dadoda 07/13/2022

Quant Time: Jul 13 06:15:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 13 02:42:59 2022
 Response via : Initial Calibration



TIC: VW023630.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (+ 0.000) 23.25 ug/L m

response 137401

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.00	0.11#
51.00	94.50	0.28#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
 Data File : VW023630.D
 Acq On : 13 Jul 2022 02:19
 Operator : SY/VA
 Sample : N3678-08
 Misc : 6.37g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B27

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/13/2022
 Supervised By :Mahesh Dadoda 07/13/2022

Quant Time: Jul 13 06:15:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 13 02:42:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	367054	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	328085	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	126124	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	134290	20.211	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	80.840%	
7) Chloroethane-d5	2.873	69	96558	25.410	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	101.640%	
11) 1,1-Dichloroethene-d2	4.007	63	108480	14.481	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	57.920%	
21) 2-Butanone-d5	7.080	46	60483	43.835	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	87.680%	
24) Chloroform-d	7.647	84	248202	23.740	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	94.960%	
26) 1,2-Dichloroethane-d4	8.305	65	137401m	23.252	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	93.000%	
32) Benzene-d6	8.275	84	460320	25.358	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	101.440%	
36) 1,2-Dichloropropane-d6	9.275	67	144021	27.099	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	108.400%	
41) Toluene-d8	10.323	98	407236	23.144	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	92.560%	
43) trans-1,3-Dichloroprop...	10.573	79	45088	19.006	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	76.040%	
47) 2-Hexanone-d5	10.927	63	45988	44.243	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	88.480%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	119906	22.741	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	90.960%	
66) 1,2-Dichlorobenzene-d4	13.853	152	120069	26.387	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	105.560%	
Target Compounds						
5) vinyl chloride	2.355	62	22178	2.683	ug/L #	81
13) Acetone	4.129	43	9046	8.896	ug/L	94
17) trans-1,2-Dichloroethene	5.415	96	9763	1.858	ug/L	90
20) cis-1,2-Dichloroethene	7.165	96	536304m	93.202	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071222\
Data File : VW023630.D
Acq On : 13 Jul 2022 02:19
Operator : SY/VA
Sample : N3678-08
Misc : 6.37g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B27

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/13/2022
Supervised By :Mahesh Dadoda 07/13/2022

Quant Time: Jul 13 06:15:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070722SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 13 02:42:59 2022
Response via : Initial Calibration

