

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071224\
 Data File : VW029546.D
 Acq On : 12 Jul 2024 13:09
 Operator : SY/MD
 Sample : P3178-11RE
 Misc : 4.96g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4BT6RE

Quant Time: Jul 12 23:25:00 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 12 23:17:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	302001	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	176904	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	42357	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	95542	19.584	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.320%
7) Chloroethane-d5	2.899	69	75685	21.545	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.200%
11) 1,1-Dichloroethene-d2	4.021	65	40332	18.410	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.640%
21) 2-Butanone-d5	7.087	46	20441	13.958	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	27.920%
24) Chloroform-d	7.654	84	167367	19.170	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.680%
26) 1,2-Dichloroethane-d4	8.307	65	98876	19.308	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.240%
32) Benzene-d6	8.270	84	275099	25.959	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	103.840%
36) 1,2-Dichloropropane-d6	9.270	67	101030	29.816	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	119.280%
41) Toluene-d8	10.319	98	183604	19.700	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.800%
43) trans-1,3-Dichloroprop...	10.575	79	18704	13.035	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	52.160%
47) 2-Hexanone-d5	10.922	63	11629	18.887	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	37.780%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	46064	16.744	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	66.960%
66) 1,2-Dichlorobenzene-d4	13.848	152	24372	16.522	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	66.080%#
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	16611	3.072	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071224\
Data File : VW029546.D
Acq On : 12 Jul 2024 13:09
Operator : SY/MD
Sample : P3178-11RE
Misc : 4.96g/10mL/MSVOA_W/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4BT6RE

Quant Time: Jul 12 23:25:00 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 12 23:17:28 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.072 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW029546.D
Acq: 12 Jul 2024 13:09

Instrument :
MSVOA_W
ClientSampleId :
A4BT6RE

Tgt Ion: 84 Resp: 16611
Ion Ratio Lower Upper
84 100
86 65.0 46.2 85.8
49 134.5 96.7 179.7

