

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071224\
 Data File : VW029550.D
 Acq On : 12 Jul 2024 14:45
 Operator : SY/MD
 Sample : P3201-02
 Misc : 5.79g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4BY8

Quant Time: Jul 12 23:26:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 12 23:17:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	478758	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	388837	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	124731	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	112542	14.552	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.200%
7) Chloroethane-d5	2.899	69	85444	15.343	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	61.360%
11) 1,1-Dichloroethene-d2	4.021	65	50907	14.658	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.640%
21) 2-Butanone-d5	7.081	46	40909	17.621	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	35.240%
24) Chloroform-d	7.648	84	208725	15.081	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	60.320%
26) 1,2-Dichloroethane-d4	8.307	65	115435	14.219	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	56.880%#
32) Benzene-d6	8.276	84	404875	17.381	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.520%
36) 1,2-Dichloropropane-d6	9.270	67	132574	17.800	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	71.200%
41) Toluene-d8	10.325	98	342510	16.720	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	66.880%
43) trans-1,3-Dichloroprop...	10.575	79	39151	12.414	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	49.640%
47) 2-Hexanone-d5	10.922	63	26548	19.617	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	39.240%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	76137	12.591	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	50.360%
66) 1,2-Dichlorobenzene-d4	13.849	152	67917	15.635	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	62.560%#
Target Compounds						
16) Methylene chloride	4.923	84	19434	2.267	ug/L	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071224\
Data File : VW029550.D
Acq On : 12 Jul 2024 14:45
Operator : SY/MD
Sample : P3201-02
Misc : 5.79g/10mL/MSVOA_W/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4BY8

Quant Time: Jul 12 23:26:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 12 23:17:28 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.267 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW029550.D
Acq: 12 Jul 2024 14:45

Instrument :
MSVOA_W
ClientSampleId :
A4BY8

Tgt Ion: 84 Resp: 19434
Ion Ratio Lower Upper
84 100
86 62.2 46.2 85.8
49 134.9 96.7 179.7

