

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
 Data File : VW023648.D
 Acq On : 13 Jul 2022 15:36
 Operator : SY/VA
 Sample : VW0713SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK543

Quant Time: Jul 14 02:13:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 14 02:04:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	199450	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	198730	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	91765	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	171039	33.576	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 134.320%	
7) Chloroethane-d5	2.879	69	101123	29.756	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	= 119.040%	
11) 1,1-Dichloroethene-d2	4.013	63	85851	20.696	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	= 82.800%	
21) 2-Butanone-d5	7.080	46	42382	53.638	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 107.280%	
24) Chloroform-d	7.647	84	148709	25.609	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	= 102.440%	
26) 1,2-Dichloroethane-d4	8.555	65	152	0.043	ug/L	0.25
Spiked Amount	25.000	Range	70 - 130	Recovery	= 0.160%#	
32) Benzene-d6	8.275	84	292450	28.309	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	= 113.240%	
36) 1,2-Dichloropropane-d6	9.268	67	84402	27.123	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	= 108.480%	
41) Toluene-d8	10.323	98	281093	26.825	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	= 107.320%	
43) trans-1,3-Dichloroprop...	10.579	79	38506	26.399	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	= 105.600%	
47) 2-Hexanone-d5	10.927	63	35625	54.444	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	= 108.880%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	82729	24.057	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	= 96.240%	
66) 1,2-Dichlorobenzene-d4	13.853	152	92418	28.212	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	= 112.840%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
Data File : VW023648.D
Acq On : 13 Jul 2022 15:36
Operator : SY/VA
Sample : VW0713SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK543

Quant Time: Jul 14 02:13:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 14 02:04:07 2022
Response via : Initial Calibration

