




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
 Data File : VW023650.D
 Acq On : 13 Jul 2022 16:25
 Operator : SY/VA
 Sample : VIBLK508
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK508

Manual IntegrationsAPPROVED

Quant Time: Jul 14 02:13:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 14 02:04:07 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/14/2022
 Supervised By :Mahesh Dadoda 07/15/2022



TIC: VW023650.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.457min (+ 0.152) 0.04 ug/L

response 151

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	55.63
51.00	92.20	104.64
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
 Data File : VW023650.D
 Acq On : 13 Jul 2022 16:25
 Operator : SY/VA
 Sample : VIBLK508
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK508

Manual IntegrationsAPPROVED

Quant Time: Jul 14 02:13:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 14 02:04:07 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/14/2022
 Supervised By :Mahesh Dadoda 07/15/2022



TIC: VW023650.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (-0.000) 23.97 ug/L m

response 80943

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	0.10#
51.00	92.20	0.20#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
 Data File : VW023650.D
 Acq On : 13 Jul 2022 16:25
 Operator : SY/VA
 Sample : VIBLK508
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK508

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/14/2022
 Supervised By :Mahesh Dadoda 07/15/2022

Quant Time: Jul 14 02:13:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 14 02:04:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	189630	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	193647	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	87119	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	147652	30.486	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	121.960%	
7) Chloroethane-d5	2.879	69	88576	27.414	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	109.640%	
11) 1,1-Dichloroethene-d2	4.019	63	71195	18.052	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	72.200%	
21) 2-Butanone-d5	7.080	46	37656	50.125	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	100.240%	
24) Chloroform-d	7.647	84	127425	23.080	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	92.320%	
26) 1,2-Dichloroethane-d4	8.305	65	80943m	23.971	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	95.880%	
32) Benzene-d6	8.275	84	246180	24.456	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	97.840%	
36) 1,2-Dichloropropane-d6	9.274	67	72562	23.931	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	95.720%	
41) Toluene-d8	10.323	98	232780	22.798	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	91.200%	
43) trans-1,3-Dichloroprop...	10.579	79	32251	22.691	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	90.760%	
47) 2-Hexanone-d5	10.927	63	31097	48.771	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	97.540%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	71491	21.335	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	85.320%	
66) 1,2-Dichlorobenzene-d4	13.853	152	77430	24.897	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	99.600%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
Data File : VW023650.D
Acq On : 13 Jul 2022 16:25
Operator : SY/VA
Sample : VIBLK508
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK508

Manual IntegrationsAPPROVED

Quant Time: Jul 14 02:13:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 14 02:04:07 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/14/2022
Supervised By :Mahesh Dadoda 07/15/2022

