




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
Data File : VW023661.D
Acq On : 13 Jul 2022 20:57
Operator : SY/VA
Sample : N3678-05
Misc : 5.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B24

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/14/2022
Supervised By :Mahesh Dadoda 07/15/2022

Quant Time: Jul 14 02:15:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 14 02:04:07 2022
Response via : Initial Calibration



TIC: VW023661.D\data.ms

(13) Acetone (T)

4.129min (+ 0.006) 8.75 ug/L

response 4959

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.10	14.24
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
Data File : VW023661.D
Acq On : 13 Jul 2022 20:57
Operator : SY/VA
Sample : N3678-05
Misc : 5.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B24

Manual IntegrationsAPPROVED

Quant Time: Jul 14 02:15:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 14 02:04:07 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/14/2022
Supervised By :Mahesh Dadoda 07/15/2022



TIC: VW023661.D\data.ms

(13) Acetone (T)

4.129min (+ 0.006) 10.78 ug/L m

response 6108

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.10	11.56
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
 Data File : VW023661.D
 Acq On : 13 Jul 2022 20:57
 Operator : SY/VA
 Sample : N3678-05
 Misc : 5.98g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B24

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/14/2022
 Supervised By :Mahesh Dadoda 07/15/2022

Quant Time: Jul 14 02:15:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 14 02:04:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	202341	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	190961	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	77238	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	105619	20.437	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	81.760%	
7) Chloroethane-d5	2.879	69	80124	23.240	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	92.960%	
11) 1,1-Dichloroethene-d2	4.013	63	60516	14.380	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	57.520%	
21) 2-Butanone-d5	7.080	46	44050	54.952	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	109.900%	
24) Chloroform-d	7.647	84	136332	23.142	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	92.560%	
26) 1,2-Dichloroethane-d4	8.305	65	86228	23.932	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	95.720%	
32) Benzene-d6	8.275	84	246248	24.806	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	99.240%	
36) 1,2-Dichloropropane-d6	9.275	67	77233	25.829	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	103.320%	
41) Toluene-d8	10.323	98	223601	22.207	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	88.840%	
43) trans-1,3-Dichloroprop...	10.579	79	27584	19.681	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	78.720%	
47) 2-Hexanone-d5	10.927	63	32754	52.093	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	104.180%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	77902	23.575	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	94.280%	
66) 1,2-Dichlorobenzene-d4	13.853	152	65375	23.710	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	94.840%	
Target Compounds						
13) Acetone	4.129	43	6108m	10.777	ug/L	
20) cis-1,2-Dichloroethene	7.171	96	12289	4.262	ug/L #	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071322\
Data File : VW023661.D
Acq On : 13 Jul 2022 20:57
Operator : SY/VA
Sample : N3678-05
Misc : 5.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B24

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/14/2022
Supervised By :Mahesh Dadoda 07/15/2022

Quant Time: Jul 14 02:15:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 14 02:04:07 2022
Response via : Initial Calibration

