

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071422\
 Data File : VW023728.D
 Acq On : 15 Jul 2022 05:39
 Operator : SY/VA
 Sample : N3700-14
 Misc : 6.10g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B55

Quant Time: Jul 15 06:30:38 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 15 06:03:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	160135	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	161398	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	62157	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	58778	14.371	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	57.480%
7) Chloroethane-d5	2.879	69	52898	19.387	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.560%
11) 1,1-Dichloroethene-d2	4.013	63	38716	11.625	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	46.480%
21) 2-Butanone-d5	7.074	46	32432	51.122	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.240%
24) Chloroform-d	7.647	84	106997	22.950	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.800%
26) 1,2-Dichloroethane-d4	8.464	65	144	0.050	ug/L	0.16
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.200%#
32) Benzene-d6	8.275	84	181314	21.611	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.440%
36) 1,2-Dichloropropane-d6	9.268	67	63439	25.102	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.400%
41) Toluene-d8	10.323	98	164544	19.335	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.360%
43) trans-1,3-Dichloroprop...	10.579	79	18924	15.975	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	63.880%
47) 2-Hexanone-d5	10.921	63	25425	47.843	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.680%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	65543	23.468	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.880%
66) 1,2-Dichlorobenzene-d4	13.853	152	53685	24.195	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.760%
Target Compounds					Qvalue	
13) Acetone	4.123	43	12192	27.182	ug/L	84
33) Benzene	8.324	78	8675	0.946	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071422\
Data File : VW023728.D
Acq On : 15 Jul 2022 05:39
Operator : SY/VA
Sample : N3700-14
Misc : 6.10g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B55

Quant Time: Jul 15 06:30:38 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 15 06:03:21 2022
Response via : Initial Calibration









#13
Acetone
Concen: 27.182 ug/L
RT: 4.123 min Scan# 30
Delta R.T. -0.006 min
Lab File: VW023728.D
Acq: 15 Jul 2022 05:39

Instrument :
MSVOA_W
ClientSampleId :
F5B55

Tgt Ion: 43 Resp: 12192
Ion Ratio Lower Upper
43 100
58 23.2 0.0 64.2



#33
Benzene
Concen: 0.946 ug/L
RT: 8.324 min Scan# 1053
Delta R.T. -0.000 min
Lab File: VW023728.D
Acq: 15 Jul 2022 05:39

Tgt Ion: 78 Resp: 8675

