

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071422\
 Data File : VW023717.D
 Acq On : 14 Jul 2022 22:09
 Operator : SY/VA
 Sample : N3700-06
 Misc : 6.42g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C13

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022

Quant Time: Jul 15 03:46:32 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 15 03:40:01 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	22932	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.634	117	20910	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	7390	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	17414	29.732	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	118.920%
7) Chloroethane-d5	2.879	69	16466	42.141	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	168.560%#
11) 1,1-Dichloroethene-d2	4.013	63	11105	23.284	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	93.120%
21) 2-Butanone-d5	7.080	46	5097	56.104	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.200%
24) Chloroform-d	7.647	84	17881	26.782	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	107.120%
26) 1,2-Dichloroethane-d4	8.305	65	10039	24.585	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.320%
32) Benzene-d6	8.281	84	28797	26.493	ug/L	0.01
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.960%
36) 1,2-Dichloropropane-d6	9.268	67	9626	29.400	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	117.600%
41) Toluene-d8	10.323	98	21905	19.868	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.480%
43) trans-1,3-Dichloroprop...	10.573	79	2549	16.609	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	66.440%
47) 2-Hexanone-d5	10.927	63	2507	36.413	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.820%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	8376	23.149	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.600%
66) 1,2-Dichlorobenzene-d4	13.847	152	6065	22.990	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.960%
Target Compounds						Qvalue
13) Acetone	4.141	43	2065m	32.150	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071422\
Data File : VW023717.D
Acq On : 14 Jul 2022 22:09
Operator : SY/VA
Sample : N3700-06
Misc : 6.42g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5C13

Quant Time: Jul 15 03:46:32 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 15 03:40:01 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022

