

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071425\
 Data File : VW031853.D
 Acq On : 14 Jul 2025 16:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 15 02:46:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.341	0.270	20.8	82	0.01
3 P	Chloromethane	0.411	0.405	1.5	102	0.01
4 C	Vinyl Chloride	0.540	0.516	4.4#	95	0.00
5 T	Bromomethane	0.421	0.368	12.6	88	0.00
6 T	Chloroethane	0.367	0.340	7.4	93	0.00
7 T	Trichlorofluoromethane	0.490	0.484	1.2	98	0.00
8 T	Diethyl Ether	0.372	0.403	-8.3	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.544	0.512	5.9	95	0.00
10 T	Methyl Iodide	0.839	0.776	7.5	90	0.00
11 T	Tert butyl alcohol	0.044	0.049	-11.4	99	0.01
12 CM	1,1-Dichloroethene	0.596	0.573	3.9#	98	0.00
13 T	Acrolein	0.080	0.063	21.3	72	0.00
14 T	Allyl chloride	0.914	0.921	-0.8	98	0.00
15 T	Acrylonitrile	0.183	0.199	-8.7	98	0.01
16 T	Acetone	0.177	0.149	15.8	87	0.01
17 T	Carbon Disulfide	1.594	1.375	13.7	85	0.00
18 T	Methyl Acetate	0.507	0.592	-16.8	106	0.00
19 T	Methyl tert-butyl Ether	1.011	1.161	-14.8	106	0.01
20 T	Methylene Chloride	0.814	0.749	8.0	103	0.01
21 T	trans-1,2-Dichloroethene	0.633	0.639	-0.9	99	0.00
22 T	Diisopropyl ether	1.783	2.099	-17.7	111	0.00
23 T	Vinyl Acetate	1.218	1.395	-14.5	105	0.00
24 P	1,1-Dichloroethane	1.156	1.242	-7.4	106	0.00
25 T	2-Butanone	0.231	0.262	-13.4	100	0.00
26 T	2,2-Dichloropropane	0.674	0.607	9.9	88	0.00
27 T	cis-1,2-Dichloroethene	0.728	0.804	-10.4	106	0.00
28 T	Bromochloromethane	0.510	0.567	-11.2	107	0.00
29 T	Tetrahydrofuran	0.158	0.182	-15.2	103	0.00
30 C	Chloroform	1.228	1.349	-9.9#	106	0.00
31 T	Cyclohexane	1.022	0.957	6.4	97	0.00
32 T	1,1,1-Trichloroethane	0.946	0.938	0.8	96	0.00
33 S	1,2-Dichloroethane-d4	0.718	0.791	-10.2	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.326	0.320	1.8	104	0.00
36 T	1,1-Dichloropropene	0.472	0.445	5.7	102	0.00
37 T	Ethyl Acetate	0.298	0.310	-4.0	107	0.00
38 T	Carbon Tetrachloride	0.481	0.416	13.5	95	0.00
39 T	Methylcyclohexane	0.587	0.556	5.3	103	0.00
40 TM	Benzene	1.397	1.389	0.6	106	0.00
41 T	Methacrylonitrile	0.160	0.171	-6.9	103	0.00
42 TM	1,2-Dichloroethane	0.472	0.472	0.0	107	0.00
43 T	Isopropyl Acetate	0.513	0.545	-6.2	107	0.00
44 TM	Trichloroethene	0.349	0.326	6.6	99	0.00
45 C	1,2-Dichloropropane	0.338	0.342	-1.2#	108	0.00
46 T	Dibromomethane	0.218	0.220	-0.9	105	0.00
47 T	Bromodichloromethane	0.511	0.516	-1.0	106	0.00
48 T	Methyl methacrylate	0.252	0.271	-7.5	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071425\
 Data File : VW031853.D
 Acq On : 14 Jul 2025 16:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 15 02:46:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	111	0.00
50 S	Toluene-d8	1.214	1.191	1.9	103	0.00
51 T	4-Methyl-2-Pentanone	0.295	0.314	-6.4	105	0.00
52 CM	Toluene	0.894	0.872	2.5#	105	0.00
53 T	t-1,3-Dichloropropene	0.480	0.501	-4.4	106	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.561	-3.1	107	0.00
55 T	1,1,2-Trichloroethane	0.286	0.294	-2.8	108	0.00
56 T	Ethyl methacrylate	0.387	0.449	-16.0	115	0.00
57 T	1,3-Dichloropropane	0.501	0.527	-5.2	113	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.230	-8.0	108	0.00
59 T	2-Hexanone	0.200	0.219	-9.5	105	0.00
60 T	Dibromochloromethane	0.341	0.339	0.6	101	0.00
61 T	1,2-Dibromoethane	0.286	0.293	-2.4	106	0.00
62 S	4-Bromofluorobenzene	0.447	0.462	-3.4	108	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
64 T	Tetrachloroethene	0.327	0.289	11.6	96	0.00
65 PM	Chlorobenzene	1.103	1.108	-0.5	108	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.347	1.4	103	0.00
67 C	Ethyl Benzene	1.913	1.940	-1.4#	107	0.00
68 T	m/p-Xylenes	0.735	0.728	1.0	104	0.00
69 T	o-Xylene	0.681	0.693	-1.8	106	0.00
70 T	Styrene	1.177	1.232	-4.7	106	0.00
71 P	Bromoform	0.210	0.205	2.4	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.803	3.685	3.1	103	0.00
74 T	N-amyl acetate	1.025	1.167	-13.9	115	0.00
75 P	1,1,2,2-Tetrachloroethane	0.844	0.861	-2.0	107	0.00
76 T	1,2,3-Trichloropropane	0.646	0.668	-3.4	107	0.00
77 T	Bromobenzene	0.848	0.829	2.2	111	0.00
78 T	n-propylbenzene	4.554	4.452	2.2	105	0.00
79 T	2-Chlorotoluene	2.743	2.776	-1.2	108	0.00
80 T	1,3,5-Trimethylbenzene	3.148	3.240	-2.9	108	0.00
81 T	trans-1,4-Dichloro-2-butene	0.277	0.272	1.8	98	0.00
82 T	4-Chlorotoluene	2.879	2.901	-0.8	108	0.00
83 T	tert-Butylbenzene	2.697	2.618	2.9	105	0.00
84 T	1,2,4-Trimethylbenzene	3.190	3.124	2.1	105	0.00
85 T	sec-Butylbenzene	4.048	4.026	0.5	106	0.00
86 T	p-Isopropyltoluene	3.336	3.325	0.3	106	0.00
87 T	1,3-Dichlorobenzene	1.701	1.656	2.6	106	0.00
88 T	1,4-Dichlorobenzene	1.741	1.587	8.8	98	0.00
89 T	n-Butylbenzene	3.241	3.183	1.8	105	0.00
90 T	Hexachloroethane	0.602	0.569	5.5	101	0.00
91 T	1,2-Dichlorobenzene	1.555	1.507	3.1	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.165	0.157	4.8	99	0.00
93 T	1,2,4-Trichlorobenzene	0.959	0.955	0.4	107	0.00
94 T	Hexachlorobutadiene	0.463	0.409	11.7	104	0.00
95 T	Naphthalene	2.351	2.522	-7.3	110	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071425\
Data File : VW031853.D
Acq On : 14 Jul 2025 16:37
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jul 15 02:46:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:35:17 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.881	0.872	1.0	106	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6