

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071524\
 Data File : VW029578.D
 Acq On : 15 Jul 2024 16:25
 Operator : SY/MD
 Sample : P3201-14
 Misc : 5.00g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CH8

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/16/2024
 Supervised By :Semsettin Yesilyurt 07/16/2024

Quant Time: Jul 16 00:02:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Jul 15 23:59:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	467981	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	405912	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	180974	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	94620	12.516	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	50.080%		
7) Chloroethane-d5	2.899	69	74485	13.683	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	54.720%		
11) 1,1-Dichloroethene-d2	4.015	65	45738	13.473	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	53.880%		
21) 2-Butanone-d5	7.081	46	49606	21.859	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	43.720%		
24) Chloroform-d	7.648	84	205610	15.198	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	60.800%		
26) 1,2-Dichloroethane-d4	8.307	65	119816m	15.099	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	60.400%#		
32) Benzene-d6	8.270	84	399532	16.431	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	65.720%		
36) 1,2-Dichloropropane-d6	9.276	67	131757	16.947	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	67.800%#		
41) Toluene-d8	10.319	98	349132	16.326	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	65.320%		
43) trans-1,3-Dichloroprop...	10.575	79	43775	13.296	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	53.200%		
47) 2-Hexanone-d5	10.922	63	35286	24.976	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	49.960%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	93161	14.758	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	59.040%		
66) 1,2-Dichlorobenzene-d4	13.849	152	103293	16.389	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	65.560%#		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	19625	2.342	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071524\
Data File : VW029578.D
Acq On : 15 Jul 2024 16:25
Operator : SY/MD
Sample : P3201-14
Misc : 5.00g/10mL/MSVOA_W/SOIL/A
ALS Vial : 14 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
A4CH8

Quant Time: Jul 16 00:02:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Jul 15 23:59:48 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 07/16/2024
Supervised By :Semsettin Yesilyurt 07/16/2024





#16
Methylene chloride
Concen: 2.342 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW029578.D
Acq: 15 Jul 2024 16:25

Instrument :
MSVOA_W
ClientSampleId :
A4CH8



Tgt Ion:	84	Resp:	1962
Ion	Ratio	Lower	Upper
84	100		
86	69.5	46.2	85.8
49	142.0	96.7	179.7

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/16/2024
Supervised By :Semsettin Yesilyurt 07/16/2024

