

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071719\
 Data File : VW011301.D
 Acq On : 17 Jul 2019 11:47
 Operator : SY/VA
 Sample : VIBLK31
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK31

Quant Time: Jul 18 05:39:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 18 04:56:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	336347	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	308210	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	142061	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	100016	19.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.88%
7) Chloroethane-d5	2.88	69	73977	20.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.12%
10) 1,1-Dichloroethene-d2	4.01	63	166647	15.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.28%
20) 2-Butanone-d5	7.07	46	105164	51.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.96%
24) Chloroform-d	7.64	84	205714	22.31	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.24%
26) 1,2-Dichloroethane-d4	8.30	65	135079	23.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.16%
29) Benzene-d6	8.27	84	421500	22.20	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.80%
33) 1,2-Dichloropropane-d6	9.27	67	142950	23.12	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.48%
37) Toluene-d8	10.32	98	366339	21.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.60%
38) trans-1,3-Dichloropropene-	10.57	79	56626	21.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.16%
39) 2-Hexanone-d5	10.92	63	69901	49.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	126799	24.79	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	126702	23.24	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.96%


Target Compounds					Ovalue
13) Acetone	4.13	43	3486	1.764 ug/L	56


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW071719\
Data File : VW011301.D
Acq On : 17 Jul 2019 11:47
Operator : SY/VA
Sample : VIBLK31
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK31

Quant Time: Jul 18 05:39:17 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 18 04:56:38 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.764 ug/L
RT: 4.13 min Scan# 365
Delta R.T. 0.01 min
Lab File: VW011301.D
Acq: 17 Jul 2019 11:47

Instrument :
MSVOA_W
ClientSampleId :
VIBLK31

Tot Ion: 43 Resp: 3486
Ion Ratio Lower Upper
43 100
58 4.4 0.0 55.0

