




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071724\
 Data File : VW029614.D
 Acq On : 17 Jul 2024 14:20
 Operator : SY/MD
 Sample : P3263-18
 Misc : 5.47g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CK8

Manual IntegrationsAPPROVED

Quant Time: Jul 18 02:20:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 18 02:17:40 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/18/2024
 Supervised By :Mahesh Dadoda 07/19/2024



TIC: VW029614.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.471min (+ 0.164) 0.02 ug/L

response 67

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.60	41.79
51.00	101.40	123.88
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071724\
 Data File : VW029614.D
 Acq On : 17 Jul 2024 14:20
 Operator : SY/MD
 Sample : P3263-18
 Misc : 5.47g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CK8

Manual IntegrationsAPPROVED

Quant Time: Jul 18 02:20:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 18 02:17:40 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/18/2024
 Supervised By :Mahesh Dadoda 07/19/2024



TIC: VW029614.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 23.74 ug/L m

response 71945

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.60	0.04#
51.00	101.40	0.12#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071724\
 Data File : VW029614.D
 Acq On : 17 Jul 2024 14:20
 Operator : SY/MD
 Sample : P3263-18
 Misc : 5.47g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CK8

Manual IntegrationsAPPROVED

Quant Time: Jul 18 02:20:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 18 02:17:40 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/18/2024
 Supervised By :Mahesh Dadoda 07/19/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	178748	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	93315	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	16732	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	59208	20.505	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	82.000%	
7) Chloroethane-d5	2.899	69	48879	23.509	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	94.040%	
11) 1,1-Dichloroethene-d2	4.021	65	22667	17.481	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	69.920%	
21) 2-Butanone-d5	7.075	46	38273	44.154	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	88.300%	
24) Chloroform-d	7.648	84	102244	19.786	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	79.160%	
26) 1,2-Dichloroethane-d4	8.307	65	71945m	23.737	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	94.960%	
32) Benzene-d6	8.276	84	169077	30.246	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	121.000%	
36) 1,2-Dichloropropane-d6	9.270	67	63600	35.583	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	142.320%#	
41) Toluene-d8	10.325	98	93020	18.921	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	75.680%	
43) trans-1,3-Dichloroprop...	10.581	79	12593	16.638	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	66.560%	
47) 2-Hexanone-d5	10.922	63	9109	28.046	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	56.100%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	29086	20.043	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	80.160%	
66) 1,2-Dichlorobenzene-d4	13.848	152	8205	14.081	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	56.320%#	
Target Compounds						
16) Methylene chloride	4.923	84	42414	13.254	ug/L	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071724\
Data File : VW029614.D
Acq On : 17 Jul 2024 14:20
Operator : SY/MD
Sample : P3263-18
Misc : 5.47g/10mL/MSVOA_W/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4CK8

Manual IntegrationsAPPROVED

Reviewed By :Romaben Patel 07/18/2024
Supervised By :Mahesh Dadoda 07/19/2024

Quant Time: Jul 18 02:20:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 18 02:17:40 2024
Response via : Initial Calibration

