

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071919\
 Data File : VW011384.D
 Acq On : 19 Jul 2019 18:02
 Operator : SY/VA
 Sample : VIBLK23
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK23

Quant Time: Jul 20 02:10:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 20 00:46:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	315895	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	291376	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	137364	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	68168	14.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.52%
7) Chloroethane-d5	2.89	69	85992	25.41	ug/L	0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.64%
10) 1,1-Dichloroethene-d2	4.02	63	163972	16.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.20%
20) 2-Butanone-d5	7.07	46	97947	51.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.10%
24) Chloroform-d	7.65	84	213932	24.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.84%
26) 1,2-Dichloroethane-d4	8.30	65	135632	25.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.76%
29) Benzene-d6	8.27	84	452694	25.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.88%
33) 1,2-Dichloropropane-d6	9.27	67	149335	25.55	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.20%
37) Toluene-d8	10.32	98	401470	25.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.40%
38) trans-1,3-Dichloropropene-	10.58	79	61121	24.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.36%
39) 2-Hexanone-d5	10.93	63	67931	50.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.36%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	120997	25.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.08%
61) 1,2-Dichlorobenzene-d4	13.85	152	133312	25.28	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.12%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW071919\
Data File : VW011384.D
Acq On : 19 Jul 2019 18:02
Operator : SY/VA
Sample : VIBLK23
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK23

Quant Time: Jul 20 02:10:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 20 00:46:56 2019
Response via : Initial Calibration

