




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
 Data File : VW023912.D
 Acq On : 20 Jul 2022 03:24
 Operator : SY/VA
 Sample : N3743-17
 Misc : 5.78g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5D15

Manual IntegrationsAPPROVED

Quant Time: Jul 20 05:18:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 20 02:42:08 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/21/2022
 Supervised By :Mahesh Dadoda 07/21/2022



TIC: VW023912.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.227min (+ 0.214) 0.02 ug/L

response 116

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	68.20	87.93
65.00	24.10	31.03
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
Data File : VW023912.D
Acq On : 20 Jul 2022 03:24
Operator : SY/VA
Sample : N3743-17
Misc : 5.78g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5D15

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/21/2022
Supervised By :Mahesh Dadoda 07/21/2022

Quant Time: Jul 20 05:18:31 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 20 02:42:08 2022
Response via : Initial Calibration



TIC: VW023912.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.007min (-0.006) 11.82 ug/L m

response 80043

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	68.20	0.13#
65.00	24.10	0.04#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
 Data File : VW023912.D
 Acq On : 20 Jul 2022 03:24
 Operator : SY/VA
 Sample : N3743-17
 Misc : 5.78g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5D15

Manual IntegrationsAPPROVED

Quant Time: Jul 20 05:18:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 20 02:42:08 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/21/2022
 Supervised By :Mahesh Dadoda 07/21/2022



TIC: VW023912.D\data.ms

(21) 2-Butanone-d5 (S)

7.019min (-0.061) 0.06 ug/L

response	82	
Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.70	26.83
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
 Data File : VW023912.D
 Acq On : 20 Jul 2022 03:24
 Operator : SY/VA
 Sample : N3743-17
 Misc : 5.78g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5D15

Manual IntegrationsAPPROVED

Quant Time: Jul 20 05:18:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 20 02:42:08 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/21/2022
 Supervised By :Mahesh Dadoda 07/21/2022



TIC: VW023912.D\data.ms

(21) 2-Butanone-d5 (S)

7.080min (+ 0.000) 49.73 ug/L m

response 64152

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.70	0.03#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
 Data File : VW023912.D
 Acq On : 20 Jul 2022 03:24
 Operator : SY/VA
 Sample : N3743-17
 Misc : 5.78g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5D15

Manual IntegrationsAPPROVED

Quant Time: Jul 20 05:18:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 20 02:42:08 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/21/2022
 Supervised By :Mahesh Dadoda 07/21/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	325594	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	303904	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	121621	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	87007	10.463	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery =	41.840%		
7) Chloroethane-d5	2.873	69	67264	12.125	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery =	48.480%		
11) 1,1-Dichloroethene-d2	4.007	63	80043m	11.820	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery =	47.280%		
21) 2-Butanone-d5	7.080	46	64152m	49.735	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery =	99.460%		
24) Chloroform-d	7.647	84	206715	21.806	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery =	87.240%		
26) 1,2-Dichloroethane-d4	8.305	65	111011	19.147	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery =	76.600%		
32) Benzene-d6	8.275	84	339936	21.518	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery =	86.080%		
36) 1,2-Dichloropropane-d6	9.275	67	114386	24.038	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery =	96.160%		
41) Toluene-d8	10.323	98	295666	18.451	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery =	73.800%		
43) trans-1,3-Dichloroprop...	10.579	79	38334	17.186	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery =	68.760%		
47) 2-Hexanone-d5	10.921	63	51094	51.061	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery =	102.120%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	115551	21.973	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery =	87.880%		
66) 1,2-Dichlorobenzene-d4	13.847	152	108448	24.979	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery =	99.920%		
Target Compounds						
						Qvalue
5) vinyl chloride	2.349	62	24806	2.666	ug/L	89
13) Acetone	4.129	43	16050	17.599	ug/L	68
16) Methylene chloride	4.916	84	23648	4.645	ug/L	94
20) cis-1,2-Dichloroethene	7.165	96	76030	16.388	ug/L #	92
34) Trichloroethene	9.092	95	166367	36.480	ug/L	97
46) Tetrachloroethene	10.860	164	64327	18.242	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
Data File : VW023912.D
Acq On : 20 Jul 2022 03:24
Operator : SY/VA
Sample : N3743-17
Misc : 5.78g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5D15

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/21/2022
Supervised By :Mahesh Dadoda 07/21/2022

Quant Time: Jul 20 05:18:31 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 20 02:42:08 2022
Response via : Initial Calibration

