

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
 Data File : VW023962.D
 Acq On : 21 Jul 2022 01:56
 Operator : SY/VA
 Sample : N3766-07
 Misc : 5.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0ZD2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/21/2022
 Supervised By :Mahesh Dadoda 07/21/2022

Quant Time: Jul 21 03:42:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 21 00:18:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	278566	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	248496	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	82565	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	126340	17.757	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.040%		
7) Chloroethane-d5	2.879	69	91069	19.187	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.760%		
11) 1,1-Dichloroethene-d2	4.007	63	96599	16.673	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.680%		
21) 2-Butanone-d5	7.080	46	38922	35.269	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	70.540%		
24) Chloroform-d	7.647	84	204115	25.167	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	100.680%		
26) 1,2-Dichloroethane-d4	8.305	65	117189m	23.625	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.520%		
32) Benzene-d6	8.275	84	354676	27.457	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	109.840%		
36) 1,2-Dichloropropane-d6	9.274	67	117475	30.191	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	120.760%#		
41) Toluene-d8	10.323	98	297076	22.673	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	90.680%		
43) trans-1,3-Dichloroprop...	10.579	79	28005	15.355	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	61.400%		
47) 2-Hexanone-d5	10.927	63	27949	34.159	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	68.320%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	110289	25.648	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	102.600%		
66) 1,2-Dichlorobenzene-d4	13.853	152	85503	29.010	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	116.040%		
Target Compounds					Qvalue	
13) Acetone	4.135	43	4381	5.615	ug/L	91
16) Methylene chloride	4.916	84	18146	4.166	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071922\
Data File : VW023962.D
Acq On : 21 Jul 2022 01:56
Operator : SY/VA
Sample : N3766-07
Misc : 5.03g/10mL/MSVOA_W/SOIL
ALS Vial : 49 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
C0ZD2

Quant Time: Jul 21 03:42:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 21 00:18:55 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 07/21/2022
Supervised By :Mahesh Dadoda 07/21/2022





#13
Acetone
Concen: 5.615 ug/L
RT: 4.135 min Scan# 366
Delta R.T. 0.012 min
Lab File: VW023962.D
Acq: 21 Jul 2022 01:56




Instrument :
MSVOA_W
ClientSampleId :
C0ZD2



Tgt Ion: 43 Resp: 438
Ion Ratio Lower Upper
43 100
58 27.2 0.0 64.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/21/2022
Supervised By :Mahesh Dadoda 07/21/2022



#16
Methylene chloride
Concen: 4.166 ug/L
RT: 4.916 min Scan# 494
Delta R.T. -0.000 min
Lab File: VW023962.D
Acq: 21 Jul 2022 01:56

Tgt Ion: 84 Resp: 18146
Ion Ratio Lower Upper
84 100
86 68.9 42.8 79.6
49 112.8 85.4 158.6

