

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
 Data File : VW023991.D
 Acq On : 22 Jul 2022 08:27
 Operator : SY/VA
 Sample : VW0722SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK559

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/24/2022
 Supervised By :Mahesh Dadoda 07/24/2022

Quant Time: Jul 22 23:10:12 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 22 23:08:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.835	114	227421	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	226096	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	101745	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	114134	19.649	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.600%
7) Chloroethane-d5	2.879	69	76730	19.801	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.200%
11) 1,1-Dichloroethene-d2	4.007	63	73822	15.608	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.440%
21) 2-Butanone-d5	7.074	46	44174	49.030	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.060%
24) Chloroform-d	7.641	84	150154	22.677	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.720%
26) 1,2-Dichloroethane-d4	8.305	65	90019m	22.229	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.920%
32) Benzene-d6	8.275	84	268399	22.836	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.360%
36) 1,2-Dichloropropane-d6	9.268	67	83474	23.578	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.320%
41) Toluene-d8	10.323	98	240288	20.156	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.640%
43) trans-1,3-Dichloroprop...	10.579	79	34362	20.707	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.840%
47) 2-Hexanone-d5	10.920	63	34700	46.612	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.220%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	86067	21.998	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.000%
66) 1,2-Dichlorobenzene-d4	13.853	152	88130	24.264	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.040%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
Data File : VW023991.D
Acq On : 22 Jul 2022 08:27
Operator : SY/VA
Sample : VW07222SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK559

Quant Time: Jul 22 23:10:12 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 22 23:08:43 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/24/2022
Supervised By :Mahesh Dadoda 07/24/2022

