

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
 Data File : VW024049.D
 Acq On : 23 Jul 2022 12:19
 Operator : SY/VA
 Sample : N3790-16
 Misc : 5.44g/10mL/MSVOA_W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBUL1

Quant Time: Jul 24 00:42:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 23 06:00:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	253267	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	245259	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	99338	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	98864	15.284	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	61.120%
7) Chloroethane-d5	2.873	69	78847	18.271	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.080%
11) 1,1-Dichloroethene-d2	4.007	63	67953	12.901	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.600%
21) 2-Butanone-d5	7.074	46	43614	43.468	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.940%
24) Chloroform-d	7.647	84	156278	21.194	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.760%
26) 1,2-Dichloroethane-d4	8.305	65	94460	20.945	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.800%
32) Benzene-d6	8.269	84	272367	21.363	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.440%
36) 1,2-Dichloropropane-d6	9.268	67	88671	23.089	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.360%
41) Toluene-d8	10.323	98	246123	19.032	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.120%
43) trans-1,3-Dichloroprop...	10.573	79	33720	18.732	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.920%
47) 2-Hexanone-d5	10.921	63	35500	43.960	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.920%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	88807	20.925	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.720%
66) 1,2-Dichlorobenzene-d4	13.847	152	83788	23.628	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
Data File : VW024049.D
Acq On : 23 Jul 2022 12:19
Operator : SY/VA
Sample : N3790-16
Misc : 5.44g/10mL/MSVOA_W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBUL1

Quant Time: Jul 24 00:42:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 23 06:00:17 2022
Response via : Initial Calibration

