

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
 Data File : VW023995.D
 Acq On : 22 Jul 2022 10:15
 Operator : SY/VA
 Sample : N3709-15RE
 Misc : 5.07g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 H0B29RE

Quant Time: Jul 22 23:11:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 22 23:08:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	294795	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	238616	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	65931	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	134852	17.910	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.640%
7) Chloroethane-d5	2.873	69	97832	19.477	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.920%
11) 1,1-Dichloroethene-d2	4.007	63	84889	13.846	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.400%
21) 2-Butanone-d5	7.086	46	27690	23.710	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	47.420%
24) Chloroform-d	7.647	84	206841	24.099	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.400%
26) 1,2-Dichloroethane-d4	8.305	65	127105	24.213	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.840%
32) Benzene-d6	8.275	84	361961	29.181	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	116.720%
36) 1,2-Dichloropropane-d6	9.274	67	117795	31.527	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	126.120%#
41) Toluene-d8	10.323	98	307424	24.434	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.720%
43) trans-1,3-Dichloroprop...	10.579	79	24930	14.235	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	56.920%
47) 2-Hexanone-d5	10.920	63	18036	22.956	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	45.920%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	89595	21.698	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.800%
66) 1,2-Dichlorobenzene-d4	13.853	152	61827	26.269	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.080%
Target Compounds					Qvalue	
13) Acetone	4.123	43	9035	10.942	ug/L	73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
Data File : VW023995.D
Acq On : 22 Jul 2022 10:15
Operator : SY/VA
Sample : N3709-15RE
Misc : 5.07g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
H0B29RE

Quant Time: Jul 22 23:11:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 22 23:08:43 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 10.942 ug/L
 RT: 4.123 min Scan# 30
 Delta R.T. -0.000 min
 Lab File: VW023995.D
 Acq: 22 Jul 2022 10:15

Instrument :
 MSVOA_W
 ClientSampleId :
 H0B29RE

Tgt Ion: 43 Resp: 9035
 Ion Ratio Lower Upper
 43 100
 58 17.1 0.0 64.2

