

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
 Data File : VW024027.D
 Acq On : 23 Jul 2022 00:37
 Operator : SY/VA
 Sample : N3790-06
 Misc : 5.73g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBUK1

Quant Time: Jul 23 04:42:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 23 03:31:10 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	193182	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	198259	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	82916	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	69009	13.986	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	55.960%
7) Chloroethane-d5	2.879	69	45155	13.718	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.880%
11) 1,1-Dichloroethene-d2	4.001	63	42375	10.547	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	42.200%#
21) 2-Butanone-d5	7.080	46	36413	47.579	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.160%
24) Chloroform-d	7.647	84	120522	21.428	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.720%
26) 1,2-Dichloroethane-d4	8.305	65	77196	22.441	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.760%
32) Benzene-d6	8.275	84	199494	19.357	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.440%
36) 1,2-Dichloropropane-d6	9.275	67	71866	23.150	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.600%
41) Toluene-d8	10.323	98	180687	17.284	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	69.120%
43) trans-1,3-Dichloroprop...	10.573	79	23256	15.982	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	63.920%
47) 2-Hexanone-d5	10.927	63	24531	37.579	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.160%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	77725	22.655	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.640%
66) 1,2-Dichlorobenzene-d4	13.853	152	70623	23.860	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.440%
Target Compounds						Qvalue
16) Methylene chloride	4.916	84	16608	5.498	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072222\
Data File : VW024027.D
Acq On : 23 Jul 2022 00:37
Operator : SY/VA
Sample : N3790-06
Misc : 5.73g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBUK1


Quant Time: Jul 23 04:42:54 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 23 03:31:10 2022
Response via : Initial Calibration





#16
Methylene chloride
Concen: 5.498 ug/L
RT: 4.916 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW024027.D
Acq: 23 Jul 2022 00:37

Instrument :
MSVOA_W
ClientSampleId :
DBUK1



Tgt Ion: 84 Resp: 16608

Ion	Ratio	Lower	Upper
84	100		
86	60.4	42.8	79.6
49	129.7	85.4	158.6

