




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072224\
 Data File : VW029692.D
 Acq On : 22 Jul 2024 18:38
 Operator : SY/MD
 Sample : P3278-14
 Misc : 8.68g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E1ZR2

Manual IntegrationsAPPROVED

Quant Time: Jul 23 04:12:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 19 23:16:32 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/23/2024
 Supervised By :Mahesh Dadoda 07/24/2024



TIC: VW029692.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.441min (+ 0.134) 0.02 ug/L

response 165

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.60	44.85
51.00	101.40	84.24
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072224\
 Data File : VW029692.D
 Acq On : 22 Jul 2024 18:38
 Operator : SY/MD
 Sample : P3278-14
 Misc : 8.68g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E1ZR2

Manual IntegrationsAPPROVED

Quant Time: Jul 23 04:12:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 19 23:16:32 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/23/2024
 Supervised By :Mahesh Dadoda 07/24/2024



TIC: VW029692.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.000) 17.64 ug/L m

response 120025

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.60	0.06#
51.00	101.40	0.12#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072224\
 Data File : VW029692.D
 Acq On : 22 Jul 2024 18:38
 Operator : SY/MD
 Sample : P3278-14
 Misc : 8.68g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E1ZR2

Manual IntegrationsAPPROVED

Quant Time: Jul 23 04:12:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 19 23:16:32 2024
 Response via : Initial Calibration

Reviewed By :Romaben Patel 07/23/2024
 Supervised By :Mahesh Dadoda 07/24/2024

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		401281	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		348903	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		145867	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		75146	11.592	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	46.360%		
7) Chloroethane-d5	2.899	69		65774	14.091	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	56.360%		
11) 1,1-Dichloroethene-d2	4.021	65		38637	13.273	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	53.080%		
21) 2-Butanone-d5	7.075	46		64040	32.910	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	65.820%		
24) Chloroform-d	7.648	84		196026	16.898	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	67.600%		
26) 1,2-Dichloroethane-d4	8.307	65		120025m	17.639	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	70.560%		
32) Benzene-d6	8.276	84		363546	17.393	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	69.560%		
36) 1,2-Dichloropropane-d6	9.270	67		126705	18.960	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	75.840%		
41) Toluene-d8	10.325	98		301705	16.413	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	65.640%		
43) trans-1,3-Dichloroprop...	10.575	79		44063	15.570	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	62.280%		
47) 2-Hexanone-d5	10.922	63		42865	35.298	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	70.600%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		98329	18.122	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	72.480%		
66) 1,2-Dichlorobenzene-d4	13.848	152		93634	18.432	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	73.720%#		
Target Compounds							
20) cis-1,2-Dichloroethene	7.173	96		9847	1.630	ug/L	90
34) Trichloroethene	9.093	95		17038	2.956	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072224\
Data File : VW029692.D
Acq On : 22 Jul 2024 18:38
Operator : SY/MD
Sample : P3278-14
Misc : 8.68g/10mL/MSVOA_W/SOIL/A
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E1ZR2

Manual IntegrationsAPPROVED

Reviewed By :Romaben Patel 07/23/2024
Supervised By :Mahesh Dadoda 07/24/2024

Quant Time: Jul 23 04:12:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 19 23:16:32 2024
Response via : Initial Calibration

