

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072418\
 Data File : VW004172.D
 Acq On : 24 Jul 2018 13:43
 Operator : SY/AP
 Sample : J4040-03
 Misc : 4.70G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jul 24 18:51:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 23 15:53:12 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	298434	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	301452	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	139564	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	53368	18.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.32%
7) Chloroethane-d5	2.88	69	39887	18.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.00%
10) 1,1-Dichloroethene-d2	4.00	63	97641	13.79	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.16%
20) 2-Butanone-d5	7.09	46	79998	46.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.42%
24) Chloroform-d	7.65	84	172375	24.34	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.36%
26) 1,2-Dichloroethane-d4	8.31	65	105838	24.81	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.24%
29) Benzene-d6	8.28	84	297171	21.25	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.00%
33) 1,2-Dichloropropane-d6	9.28	67	110920	23.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.12%
37) Toluene-d8	10.33	98	255797	20.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.44%
38) trans-1,3-Dichloropropene-	10.58	79	43917	21.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.72%
39) 2-Hexanone-d5	10.93	63	53661	42.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.50%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	119900	23.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	114074	25.42	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.68%


Target Compounds					Ovalue
13) Acetone	4.12	43	9582	5.09 ug/L	95
40) 1,2-Dichloropropane	9.28	63	12079	2.41 ug/L #	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072418\
Data File : VW004172.D
Acq On : 24 Jul 2018 13:43
Operator : SY/AP
Sample : J4040-03
Misc : 4.70G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jul 24 18:51:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
Quant Title : VOC Analysis
QLast Update : Mon Jul 23 15:53:12 2018
Response via : Initial Calibration





#13

Acetone

Concen: 5.09 ug/L

RT: 4.12 min Scan# 416

Delta R.T. 0.01 min

Lab File: VW004172.D

Acq: 24 Jul 2018 13:43

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 43 Resp: 9582

Ion Ratio Lower Upper

43 100

58 32.6 0.0 59.4



#40

1,2-Dichloropropane

Concen: 2.41 ug/L

RT: 9.28 min Scan# 1262

Delta R.T. -0.09 min

Lab File: VW004172.D

Acq: 24 Jul 2018 13:43

Tgt Ion: 63 Resp: 12079

Ion Ratio Lower Upper

63 100

112 0.2 3.0 4.4#

