

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072418\
 Data File : VW004181.D
 Acq On : 24 Jul 2018 17:37
 Operator : SY/AP
 Sample : J4065-02
 Misc : 5.17G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JHT31

Quant Time: Jul 25 00:29:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 25 00:28:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	269618	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	267061	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	108951	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	43776	16.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.64%
7) Chloroethane-d5	2.89	69	33716	17.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.16%
10) 1,1-Dichloroethene-d2	4.01	63	81353	12.71	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	50.84%
20) 2-Butanone-d5	7.09	46	76520	48.93	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.86%
24) Chloroform-d	7.65	84	144442	22.57	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.28%
26) 1,2-Dichloroethane-d4	8.31	65	93662	24.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.20%
29) Benzene-d6	8.27	84	245811	19.84	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.36%
33) 1,2-Dichloropropane-d6	9.27	67	94890	22.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.88%
37) Toluene-d8	10.33	98	203554	18.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.16%
38) trans-1,3-Dichloropropene-	10.58	79	37278	20.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.12%
39) 2-Hexanone-d5	10.93	63	52608	47.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.60%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	114086	25.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.80%
61) 1,2-Dichlorobenzene-d4	13.86	152	84140	24.02	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.08%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072418\
Data File : VW004181.D
Acq On : 24 Jul 2018 17:37
Operator : SY/AP
Sample : J4065-02
Misc : 5.17G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JHT31

Quant Time: Jul 25 00:29:27 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 25 00:28:45 2018
Response via : Initial Calibration

