

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072622\
 Data File : VW024096.D
 Acq On : 26 Jul 2022 12:57
 Operator : SY/VA
 Sample : N3790-12RE
 Misc : 4.89g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBUK6RE

Quant Time: Jul 26 23:41:49 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072522SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 26 23:39:35 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	212256	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	164108	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	47187	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	125968	27.687	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.760%
7) Chloroethane-d5	2.873	69	95132	30.946	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	123.800%
11) 1,1-Dichloroethene-d2	4.013	63	64156	16.014	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.040%
21) 2-Butanone-d5	7.177	46	270	0.334	ug/L	0.10
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.660%#
24) Chloroform-d	7.647	84	156049	26.742	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	106.960%
26) 1,2-Dichloroethane-d4	8.305	65	100447	29.961	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	119.840%
32) Benzene-d6	8.275	84	200312	26.276	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.120%
36) 1,2-Dichloropropane-d6	9.268	67	88688	36.884	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	147.520%#
41) Toluene-d8	10.323	98	156930	20.584	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.320%
43) trans-1,3-Dichloroprop...	10.579	79	15958	14.968	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	59.880%
47) 2-Hexanone-d5	10.927	63	8912	17.729	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	35.460%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	82887	29.875	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	119.520%
66) 1,2-Dichlorobenzene-d4	13.853	152	40281	26.359	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.440%
Target Compounds					Qvalue	
13) Acetone	4.123	43	2351	4.097	ug/L	76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072622\
Data File : VW024096.D
Acq On : 26 Jul 2022 12:57
Operator : SY/VA
Sample : N3790-12RE
Misc : 4.89g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBUK6RE

Quant Time: Jul 26 23:41:49 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072522SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 26 23:39:35 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.097 ug/L
 RT: 4.123 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: VW024096.D
 Acq: 26 Jul 2022 12:57

Instrument :
 MSVOA_W
 ClientSampleId :
 DBUK6RE

Tgt Ion: 43 Resp: 2351
 Ion Ratio Lower Upper
 43 100
 58 17.2 0.0 60.0

