

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072624\
 Data File : VW029747.D
 Acq On : 26 Jul 2024 13:27
 Operator : SY/MD
 Sample : P3278-07
 Misc : 9.01g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jul 27 00:54:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 27 00:53:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	255722	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	240759	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.549	152	107535	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	72931	20.089	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.360%
7) Chloroethane-d5	2.899	69	56368	21.748	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.000%
11) 1,1-Dichloroethene-d2	4.021	65	34519	20.830	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.320%
21) 2-Butanone-d5	7.331	46	79	0.079	ug/L	0.25
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.160%#
24) Chloroform-d	7.648	84	154321	23.312	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.240%
26) 1,2-Dichloroethane-d4	8.502	65	49	0.013	ug/L	0.20
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.270	84	297774	22.890	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.560%
36) 1,2-Dichloropropane-d6	9.276	67	98401	23.690	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.760%
41) Toluene-d8	10.324	98	261974	22.649	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.600%
43) trans-1,3-Dichloroprop...	10.574	79	37161	22.109	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.440%
47) 2-Hexanone-d5	10.922	63	26731	39.028	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.060%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	70751	22.940	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.760%
66) 1,2-Dichlorobenzene-d4	13.848	152	84022	25.164	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.640%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072624\
Data File : VW029747.D
Acq On : 26 Jul 2024 13:27
Operator : SY/MD
Sample : P3278-07
Misc : 9.01g/10mL/MSVOA_W/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jul 27 00:54:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 27 00:53:25 2024
Response via : Initial Calibration

