

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072624\
 Data File : VW029762.D
 Acq On : 26 Jul 2024 19:28
 Operator : SY/MD
 Sample : P3361-16
 Misc : 8.77g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E20P6

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/31/2024
 Supervised By :Semsettin Yesilyurt 07/31/2024

Quant Time: Jul 27 00:58:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 27 00:53:25 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	348839	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	297906	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	96809	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	51148	10.328	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	41.320%
7) Chloroethane-d5	2.893	69	49156	13.903	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	55.600%
11) 1,1-Dichloroethene-d2	4.021	65	26459	11.704	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	46.800%
21) 2-Butanone-d5	7.075	46	60847	44.827	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.660%
24) Chloroform-d	7.648	84	158624	17.566	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	70.280%
26) 1,2-Dichloroethane-d4	8.307	65	99999m	19.442	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.760%
32) Benzene-d6	8.270	84	272260	16.914	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	67.640%
36) 1,2-Dichloropropane-d6	9.270	67	101021	19.655	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	78.640%
41) Toluene-d8	10.319	98	214914	15.016	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	60.080%
43) trans-1,3-Dichloroprop...	10.575	79	34069	16.381	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	65.520%
47) 2-Hexanone-d5	10.922	63	40381	47.648	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.300%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	80289	21.038	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	51698	17.198	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	68.800%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072624\
Data File : VW029762.D
Acq On : 26 Jul 2024 19:28
Operator : SY/MD
Sample : P3361-16
Misc : 8.77g/10mL/MSVOA_W/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E20P6

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/31/2024
Supervised By :Semsettin Yesilyurt 07/31/2024

Quant Time: Jul 27 00:58:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 27 00:53:25 2024
Response via : Initial Calibration

