

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072825\
 Data File : VW031946.D
 Acq On : 28 Jul 2025 15:24
 Operator : SY/MD
 Sample : Q2709-01
 Misc : 4.80g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 7211935-295

Quant Time: Jul 29 01:21:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	172558	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	361103	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	349635	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	175406	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	146776	56.228	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	112.460%
35) Dibromofluoromethane	7.904	113	122378	49.874	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	99.740%
50) Toluene-d8	10.325	98	453442	48.827	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	97.660%
62) 4-Bromofluorobenzene	12.617	95	172551	48.389	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	96.780%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072825\
Data File : VW031946.D
Acq On : 28 Jul 2025 15:24
Operator : SY/MD
Sample : Q2709-01
Misc : 4.80g/5mL/MSVOA_W/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
7211935-295

Quant Time: Jul 29 01:21:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 23 08:18:46 2025
Response via : Initial Calibration

