

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073024\
 Data File : VW029795.D
 Acq On : 30 Jul 2024 09:56
 Operator : SY/MD
 Sample : VW0730SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK532

Quant Time: Jul 31 01:59:32 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 31 01:58:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	245469	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	235900	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	98883	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	64834	18.605	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.400%		
7) Chloroethane-d5	2.905	69	52506	21.104	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.400%		
11) 1,1-Dichloroethene-d2	4.027	65	31473	19.785	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.120%		
21) 2-Butanone-d5	7.075	46	40223	42.112	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	84.220%		
24) Chloroform-d	7.648	84	149878	23.587	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	94.360%		
26) 1,2-Dichloroethane-d4	8.307	65	88472	24.444	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	97.760%		
32) Benzene-d6	8.276	84	280513	22.008	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.040%		
36) 1,2-Dichloropropane-d6	9.276	67	95111	23.369	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.480%		
41) Toluene-d8	10.325	98	251635	22.203	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.800%		
43) trans-1,3-Dichloroprop...	10.575	79	34967	21.232	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.920%		
47) 2-Hexanone-d5	10.922	63	25921	38.625	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	77.260%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	70363	23.284	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.120%		
66) 1,2-Dichlorobenzene-d4	13.848	152	77050	25.095	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	100.360%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073024\
Data File : VW029795.D
Acq On : 30 Jul 2024 09:56
Operator : SY/MD
Sample : VW0730SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK532

Quant Time: Jul 31 01:59:32 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 31 01:58:39 2024
Response via : Initial Calibration

