

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004456.D
 Acq On : 03 Aug 2018 19:22
 Operator : SY/AP
 Sample : J4268-15
 Misc : 3.17G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC7

Quant Time: Aug 04 02:27:49 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:29 PM



TIC: VW004456.D

(10) 1,1-Dichloroethene-d2 (S)

4.166min (+0.152) 0.04ug/L

response 758

Ion	Exp%	Act%
63.00	100	100
98.00	76.60	63.19
65.00	22.30	27.44
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004456.D
 Acq On : 03 Aug 2018 19:22
 Operator : SY/AP
 Sample : J4268-15
 Misc : 3.17G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC7

Quant Time: Aug 04 02:27:49 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:29 PM



TIC: VW004456.D

(10) 1,1-Dichloroethene-d2 (S)

4.013min (-0.000) 23.61ug/L m

response 433441

Ion	Exp%	Act%
63.00	100	100
98.00	76.60	0.11#
65.00	22.30	0.05#
0.00	0.00	0.00

Handwritten signature: > 8/6/18 sy

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004456.D
 Acq On : 03 Aug 2018 19:22
 Operator : SY/AP
 Sample : J4268-15
 Misc : 3.17G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 C0AC7

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:29 PM

Quant Time: Aug 04 03:33:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	726947	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	697982	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	235052	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	310950	34.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	137.56%
7) Chloroethane-d5	2.89	69	244457	32.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	128.56%
10) 1,1-Dichloroethene-d2	4.01	63	433441m	23.61	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	94.44%
20) 2-Butanone-d5	7.09	46	182359	45.74	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.48%
24) Chloroform-d	7.65	84	576174	29.28	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	117.12%
26) 1,2-Dichloroethane-d4	8.31	65	337490	30.76	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	123.04%
29) Benzene-d6	8.27	84	1088330	29.31	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	117.24%
33) 1,2-Dichloropropane-d6	9.28	67	361708	29.81	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	119.24%
37) Toluene-d8	10.33	98	886628	27.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	108.36%
38) trans-1,3-Dichloropropene-	10.58	79	123474	24.74	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.96%
39) 2-Hexanone-d5	10.93	63	126046	42.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.34%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	332992	25.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.20%
61) 1,2-Dichlorobenzene-d4	13.86	152	258459	29.28	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	117.12%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

08/08/18 SY

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004456.D
 Acq On : 03 Aug 2018 19:22
 Operator : SY/AP
 Sample : J4268-15
 Misc : 3.17G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC7

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:29 PM

Quant Time: Aug 04 03:33:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration

