

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004470.D
 Acq On : 04 Aug 2018 01:24
 Operator : SY/AP
 Sample : J4301-20
 Misc : 5.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 C0AG1

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:32 PM

Quant Time: Aug 04 02:28:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration



TIC: VW004470.D

(26) 1,2-Dichloroethane-d4 (S)

8.391min (+0.085) 0.01ug/L

response 139

Ion	Exp%	Act%
65.00	100	100
67.00	55.10	68.35
51.00	107.50	125.90
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004470.D
 Acq On : 04 Aug 2018 01:24
 Operator : SY/AP
 Sample : J4301-20
 Misc : 5.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 C0AG1

Manual Integrations
 APPROVED

MMDadoda
 8/6/2018 5:46:32 PM

Quant Time: Aug 04 02:28:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration



(26) 1,2-Dichloroethane-d4 (S)

8.312min (+0.006) 28.25ug/L m

response 346037

Ion	Exp%	Act%
65.00	100	100
67.00	55.10	0.03#
51.00	107.50	0.05#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
 Data File : VW004470.D
 Acq On : 04 Aug 2018 01:24
 Operator : SY/AP
 Sample : J4301-20
 Misc : 5.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 C0AG1

Manual Integrations
 APPROVED

MM Dadoda
 8/6/2018 5:46:32 PM

Quant Time: Aug 04 04:03:33 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 04 02:26:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	811428	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	836964	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	359956	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.36	65	284277	28.17	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	112.68%		
7) Chloroethane-d5	2.89	69	223686	26.35	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	105.40%		
10) 1,1-Dichloroethene-d2	4.01	63	400385	19.54	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	78.16%		
20) 2-Butanone-d5	7.09	46	243947	54.82	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	109.64%		
24) Chloroform-d	7.65	84	554413	25.24	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	100.96%		
26) 1,2-Dichloroethane-d4	8.31	65	346037m	28.25	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	113.00%		
29) Benzene-d6	8.28	84	1062717	23.87	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.48%		
33) 1,2-Dichloropropane-d6	9.28	67	360276	24.76	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	99.04%		
37) Toluene-d8	10.33	98	893728	22.77	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	91.08%		
38) trans-1,3-Dichloropropene-	10.58	79	133668	22.34	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	89.36%		
39) 2-Hexanone-d5	10.93	63	181294	51.18	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	102.36%		
48) 1,1,2,2-Tetrachloroethane-	12.70	84	398821	25.27	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	101.08%		
61) 1,2-Dichlorobenzene-d4	13.86	152	369812	27.35	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	109.40%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

08/08/18 Jy

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080218\
Data File : VW004470.D
Acq On : 04 Aug 2018 01:24
Operator : SY/AP
Sample : J4301-20
Misc : 5.91G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AG1

Quant Time: Aug 04 04:03:33 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 04 02:26:08 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
8/6/2018 5:46:32 PM

