




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080322\
 Data File : VW024151.D
 Acq On : 03 Aug 2022 15:40
 Operator : SY/VA
 Sample : VW0803SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK568

Manual IntegrationsAPPROVED

Quant Time: Aug 04 01:13:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 04 01:06:52 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/04/2022
 Supervised By :Semsettin Yesilyurt 08/05/2022



TIC: VW024151.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.061min (-0.244) 0.01 ug/L

response 61

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.20	65.57
51.00	103.50	95.08
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080322\
 Data File : VW024151.D
 Acq On : 03 Aug 2022 15:40
 Operator : SY/VA
 Sample : VW0803SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK568

Manual IntegrationsAPPROVED

Quant Time: Aug 04 01:13:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 04 01:06:52 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/04/2022
 Supervised By :Semsettin Yesilyurt 08/05/2022



TIC: VW024151.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (+ 0.000) 23.75 ug/L m

response 109711

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.20	0.04#
51.00	103.50	0.05#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080322\
 Data File : VW024151.D
 Acq On : 03 Aug 2022 15:40
 Operator : SY/VA
 Sample : VW0803SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK568

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 08/04/2022
 Supervised By :Semsettin Yesilyurt 08/05/2022

Quant Time: Aug 04 01:13:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 04 01:06:52 2022
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.842	114		301790	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117		299217	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152		142760	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.343	65		114187	22.341	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	89.360%		
7) Chloroethane-d5	2.879	69		75609	23.180	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	92.720%		
11) 1,1-Dichloroethene-d2	4.007	63		74555	11.633	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	46.520%		
21) 2-Butanone-d5	7.080	46		54947	51.737	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	103.480%		
24) Chloroform-d	7.647	84		187284	21.967	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	87.880%		
26) 1,2-Dichloroethane-d4	8.305	65		109711m	23.746	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	95.000%		
32) Benzene-d6	8.269	84		344020	21.710	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	86.840%		
36) 1,2-Dichloropropane-d6	9.275	67		108145	23.112	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	92.440%		
41) Toluene-d8	10.323	98		314519	21.207	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	84.840%		
43) trans-1,3-Dichloroprop...	10.573	79		45562	20.870	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	83.480%		
47) 2-Hexanone-d5	10.921	63		45549	51.064	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	102.120%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84		109899	23.285	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	93.160%		
66) 1,2-Dichlorobenzene-d4	13.853	152		129427	25.558	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	102.240%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080322\
Data File : VW024151.D
Acq On : 03 Aug 2022 15:40
Operator : SY/VA
Sample : VW0803SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK568

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 08/04/2022
Supervised By :Semsettin Yesilyurt 08/05/2022

Quant Time: Aug 04 01:13:27 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 04 01:06:52 2022
Response via : Initial Calibration

