

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080422\
 Data File : VW024174.D
 Acq On : 04 Aug 2022 20:45
 Operator : SY/VA
 Sample : N4004-07
 Misc : 6.32g/10mL/MSVOA_W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EY135

Quant Time: Aug 05 01:04:22 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 05 01:00:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	552965	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	520161	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	274829	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	264252	22.862	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.440%		
7) Chloroethane-d5	2.873	69	139567	19.384	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.520%		
11) 1,1-Dichloroethene-d2	4.007	63	209340	15.892	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.560%		
21) 2-Butanone-d5	7.080	46	96996	45.107	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.220%		
24) Chloroform-d	7.647	84	344834	20.610	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	82.440%		
26) 1,2-Dichloroethane-d4	8.305	65	193811	20.864	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	83.440%		
32) Benzene-d6	8.269	84	702656	22.905	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.600%		
36) 1,2-Dichloropropane-d6	9.275	67	204568	22.585	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	90.360%		
41) Toluene-d8	10.323	98	663913	23.154	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.600%		
43) trans-1,3-Dichloroprop...	10.579	79	86994	21.928	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	87.720%		
47) 2-Hexanone-d5	10.921	63	81519	48.727	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.460%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	182565	20.775	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	83.120%		
66) 1,2-Dichlorobenzene-d4	13.853	152	235345	23.401	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	93.600%		
Target Compounds						Qvalue
16) Methylene chloride	4.916	84	75505	7.743	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080422\
Data File : VW024174.D
Acq On : 04 Aug 2022 20:45
Operator : SY/VA
Sample : N4004-07
Misc : 6.32g/10mL/MSVOA_W/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EY135

Quant Time: Aug 05 01:04:22 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 05 01:00:42 2022
Response via : Initial Calibration

