

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080422\
 Data File : VW024163.D
 Acq On : 04 Aug 2022 15:49
 Operator : SY/VA
 Sample : N3955-06
 Misc : 5.05g/10mL/MSVOA_W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Quant Time: Aug 05 01:01:49 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 05 01:00:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	324495	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	310479	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	139323	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.337	65	162094	23.898	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.600%
7) Chloroethane-d5	2.873	69	98422	23.294	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.160%
11) 1,1-Dichloroethene-d2	4.007	63	129821	16.794	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.160%
21) 2-Butanone-d5	7.080	46	59977	47.529	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.060%
24) Chloroform-d	7.640	84	217033	22.105	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.400%
26) 1,2-Dichloroethane-d4	8.305	65	124837	22.901	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.600%
32) Benzene-d6	8.268	84	425400	23.232	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.920%
36) 1,2-Dichloropropane-d6	9.274	67	123973	22.931	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.720%
41) Toluene-d8	10.323	98	381557	22.294	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.160%
43) trans-1,3-Dichloroprop...	10.579	79	52759	22.280	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.120%
47) 2-Hexanone-d5	10.926	63	48886	48.955	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.920%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	117992	22.495	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.960%
66) 1,2-Dichlorobenzene-d4	13.847	152	136302	26.734	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	106.920%
Target Compounds					Qvalue	
13) Acetone	4.123	43	4410	4.747	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080422\
Data File : VW024163.D
Acq On : 04 Aug 2022 15:49
Operator : SY/VA
Sample : N3955-06
Misc : 5.05g/10mL/MSVOA_W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: Aug 05 01:01:49 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 05 01:00:42 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.747 ug/L
 RT: 4.123 min Scan# 30
 Delta R.T. -0.000 min
 Lab File: VW024163.D
 Acq: 04 Aug 2022 15:49

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Tgt Ion: 43 Resp: 4410
 Ion Ratio Lower Upper
 43 100
 58 18.3 0.0 31.8

