

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080425\
 Data File : VW031992.D
 Acq On : 04 Aug 2025 11:44
 Operator : SY/MD
 Sample : Q2747-03RE
 Misc : 3.67g/5mL/MSVOA_W/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 OU4-TS-GRILLO-OG3-073125RE

Quant Time: Aug 05 01:16:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	177665	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	379769	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	308519	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	101860	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	131706	49.005	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	98.000%
35) Dibromofluoromethane	7.898	113	125306	48.557	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	97.120%
50) Toluene-d8	10.325	98	450238	46.099	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	92.200%
62) 4-Bromofluorobenzene	12.617	95	122757	32.733	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	65.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080425\
Data File : VW031992.D
Acq On : 04 Aug 2025 11:44
Operator : SY/MD
Sample : Q2747-03RE
Misc : 3.67g/5mL/MSVOA_W/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
OU4-TS-GRILLO-OG3-073125RE

Quant Time: Aug 05 01:16:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 23 08:18:46 2025
Response via : Initial Calibration

