

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080525\
 Data File : VW032011.D
 Acq On : 05 Aug 2025 14:37
 Operator : SY/MD
 Sample : Q2774-03
 Misc : 5.00g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 256

Quant Time: Aug 06 03:54:37 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.953	168	117010	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	8.850	114	236230	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	220618	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	96070	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.313	65	86998	49.150	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	98.300%
35) Dibromofluoromethane	7.898	113	76854	47.878	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	95.760%
50) Toluene-d8	10.325	98	277371	45.656	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	91.320%
62) 4-Bromofluorobenzene	12.617	95	93646	40.144	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	80.280%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080525\
Data File : VW032011.D
Acq On : 05 Aug 2025 14:37
Operator : SY/MD
Sample : Q2774-03
Misc : 5.00g/5mL/MSVOA_W/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
256

Quant Time: Aug 06 03:54:37 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 23 08:18:46 2025
Response via : Initial Calibration

