

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080525\
 Data File : VW032021.D
 Acq On : 05 Aug 2025 18:14
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 06 03:58:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.372	0.300	19.4	81	0.00
3 P	Chloromethane	0.477	0.424	11.1	94	0.00
4 C	Vinyl Chloride	0.620	0.549	11.5#	86	0.00
5 T	Bromomethane	0.456	0.416	8.8	93	0.00
6 T	Chloroethane	0.409	0.373	8.8	92	-0.01
7 T	Trichlorofluoromethane	0.628	0.493	21.5	70	0.00
8 T	Diethyl Ether	0.419	0.393	6.2	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.604	0.534	11.6	88	-0.01
10 T	Methyl Iodide	0.902	0.818	9.3	91	0.00
11 T	Tert butyl alcohol	0.044	0.047	-6.8	105	0.02
12 CM	1,1-Dichloroethene	0.667	0.591	11.4#	89	0.00
13 T	Acrolein	0.065	0.013	80.0#	24#	0.00
14 T	Allyl chloride	1.038	0.941	9.3	90	0.00
15 T	Acrylonitrile	0.187	0.192	-2.7	102	0.00
16 T	Acetone	0.179	0.151	15.6	88	0.00
17 T	Carbon Disulfide	1.729	1.561	9.7	89	0.00
18 T	Methyl Acetate	0.494	0.614	-24.3	125	0.00
19 T	Methyl tert-butyl Ether	1.152	1.216	-5.6	104	0.00
20 T	Methylene Chloride	0.944	0.700	25.8#	90	0.00
21 T	trans-1,2-Dichloroethene	0.707	0.659	6.8	92	0.00
22 T	Diisopropyl ether	2.077	2.018	2.8	94	0.00
23 T	Vinyl Acetate	1.357	1.287	5.2	92	0.00
24 P	1,1-Dichloroethane	1.293	1.216	6.0	93	0.00
25 T	2-Butanone	0.246	0.244	0.8	100	0.00
26 T	2,2-Dichloropropane	0.732	0.619	15.4	81	0.00
27 T	cis-1,2-Dichloroethene	0.832	0.797	4.2	94	0.00
28 T	Bromochloromethane	0.541	0.549	-1.5	101	0.00
29 T	Tetrahydrofuran	0.161	0.173	-7.5	105	0.00
30 C	Chloroform	1.356	1.277	5.8#	94	0.00
31 T	Cyclohexane	1.160	0.994	14.3	87	0.00
32 T	1,1,1-Trichloroethane	1.032	0.942	8.7	90	0.00
33 S	1,2-Dichloroethane-d4	0.756	0.807	-6.7	110	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.340	0.355	-4.4	107	0.00
36 T	1,1-Dichloropropene	0.522	0.460	11.9	89	0.00
37 T	Ethyl Acetate	0.298	0.292	2.0	97	0.00
38 T	Carbon Tetrachloride	0.501	0.442	11.8	88	0.00
39 T	Methylcyclohexane	0.657	0.593	9.7	89	0.00
40 TM	Benzene	1.545	1.468	5.0	95	0.00
41 T	Methacrylonitrile	0.178	0.180	-1.1	98	0.00
42 TM	1,2-Dichloroethane	0.494	0.465	5.9	95	0.00
43 T	Isopropyl Acetate	0.539	0.541	-0.4	100	0.00
44 TM	Trichloroethene	0.367	0.348	5.2	94	0.00
45 C	1,2-Dichloropropane	0.372	0.352	5.4#	96	0.00
46 T	Dibromomethane	0.231	0.223	3.5	97	0.00
47 T	Bromodichloromethane	0.553	0.524	5.2	96	0.00
48 T	Methyl methacrylate	0.256	0.268	-4.7	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080525\
 Data File : VW032021.D
 Acq On : 05 Aug 2025 18:14
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 06 03:58:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.003	-50.0#	104	0.00
50 S	Toluene-d8	1.286	1.330	-3.4	107	0.00
51 T	4-Methyl-2-Pentanone	0.295	0.309	-4.7	103	0.00
52 CM	Toluene	0.993	0.917	7.7#	92	0.00
53 T	t-1,3-Dichloropropene	0.530	0.501	5.5	94	0.00
54 T	cis-1,3-Dichloropropene	0.606	0.569	6.1	93	0.00
55 T	1,1,2-Trichloroethane	0.306	0.305	0.3	100	0.00
56 T	Ethyl methacrylate	0.433	0.449	-3.7	100	0.00
57 T	1,3-Dichloropropane	0.540	0.542	-0.4	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.222	0.112	49.5#	49#	0.00
59 T	2-Hexanone	0.205	0.214	-4.4	102	0.00
60 T	Dibromochloromethane	0.357	0.351	1.7	98	0.00
61 T	1,2-Dibromoethane	0.303	0.300	1.0	99	0.00
62 S	4-Bromofluorobenzene	0.494	0.510	-3.2	109	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	103	0.00
64 T	Tetrachloroethene	0.330	0.322	2.4	103	0.00
65 PM	Chlorobenzene	1.224	1.133	7.4	94	0.00
66 T	1,1,1,2-Tetrachloroethane	0.379	0.345	9.0	95	0.00
67 C	Ethyl Benzene	2.150	1.972	8.3#	92	0.00
68 T	m/p-Xylenes	0.809	0.757	6.4	95	0.00
69 T	o-Xylene	0.766	0.714	6.8	93	0.00
70 T	Styrene	1.304	1.271	2.5	97	0.00
71 P	Bromoform	0.207	0.197	4.8	93	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	4.338	3.760	13.3	88	0.00
74 T	N-amyl acetate	1.173	1.133	3.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.921	0.884	4.0	100	0.00
76 T	1,2,3-Trichloropropane	0.690	0.653	5.4	98	0.00
77 T	Bromobenzene	0.939	0.865	7.9	99	0.00
78 T	n-propylbenzene	5.328	4.615	13.4	90	0.00
79 T	2-Chlorotoluene	3.181	2.857	10.2	95	0.00
80 T	1,3,5-Trimethylbenzene	3.638	3.226	11.3	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.299	0.278	7.0	96	0.00
82 T	4-Chlorotoluene	3.337	2.864	14.2	91	0.00
83 T	tert-Butylbenzene	3.099	2.744	11.5	92	0.00
84 T	1,2,4-Trimethylbenzene	3.683	3.255	11.6	92	0.00
85 T	sec-Butylbenzene	4.654	4.012	13.8	90	0.00
86 T	p-Isopropyltoluene	3.847	3.379	12.2	91	0.00
87 T	1,3-Dichlorobenzene	1.954	1.665	14.8	90	0.00
88 T	1,4-Dichlorobenzene	1.914	1.686	11.9	96	0.00
89 T	n-Butylbenzene	3.774	3.241	14.1	88	0.00
90 T	Hexachloroethane	0.665	0.575	13.5	93	0.00
91 T	1,2-Dichlorobenzene	1.732	1.531	11.6	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.166	0.157	5.4	101	0.00
93 T	1,2,4-Trichlorobenzene	1.044	0.991	5.1	104	0.00
94 T	Hexachlorobutadiene	0.495	0.417	15.8	88	0.00
95 T	Naphthalene	2.567	2.562	0.2	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080525\
Data File : VW032021.D
Acq On : 05 Aug 2025 18:14
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 06 03:58:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 23 08:18:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.946	0.870	8.0	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6