

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080725\
 Data File : VW032047.D
 Acq On : 07 Aug 2025 15:53
 Operator : SY/MD
 Sample : Q2800-01
 Misc : 5.02g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-222

Quant Time: Aug 08 04:11:33 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 23 08:18:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	184894	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	370199	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	358773	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	177829	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	134759	48.180	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	96.360%
35) Dibromofluoromethane	7.898	113	122914	48.862	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	97.720%
50) Toluene-d8	10.331	98	444736	46.713	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	93.420%
62) 4-Bromofluorobenzene	12.617	95	174813	47.819	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	95.640%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080725\
Data File : VW032047.D
Acq On : 07 Aug 2025 15:53
Operator : SY/MD
Sample : Q2800-01
Misc : 5.02g/5mL/MSVOA_W/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VNJ-222

Quant Time: Aug 08 04:11:33 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W072225S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 23 08:18:46 2025
Response via : Initial Calibration

