

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080822\
 Data File : VW024200.D
 Acq On : 08 Aug 2022 11:44
 Operator : SY/VA
 Sample : N4030-04
 Misc : 4.44g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0QB4

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 08/09/2022
 Supervised By :Semsettin Yesilyurt 08/09/2022

Quant Time: Aug 09 04:15:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 09 04:14:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.836	114	418781	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	404487	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	202748	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	230463	26.328	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 105.320%			
7) Chloroethane-d5	2.873	69	136206	24.978	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 99.920%			
11) 1,1-Dichloroethene-d2	4.001	63	170857	17.127	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 68.520%			
21) 2-Butanone-d5	7.074	46	80973	49.721	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 99.440%			
24) Chloroform-d	7.641	84	296964	23.436	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 93.760%			
26) 1,2-Dichloroethane-d4	8.305	65	165545	23.532	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 94.120%			
32) Benzene-d6	8.269	84	584736	24.512	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 98.040%			
36) 1,2-Dichloropropane-d6	9.268	67	172364	24.472	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 97.880%			
41) Toluene-d8	10.323	98	547374	24.549	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 98.200%			
43) trans-1,3-Dichloroprop...	10.573	79	76714	24.867	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 99.480%			
47) 2-Hexanone-d5	10.921	63	67676	52.021	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 104.040%			
56) 1,1,2,2-Tetrachloroeth...	12.688	84	152521	22.320	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 89.280%			
66) 1,2-Dichlorobenzene-d4	13.853	152	196077	26.428	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 105.720%			
Target Compounds					Qvalue	
13) Acetone	4.129	43	8345m	6.960	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080822\
Data File : VW024200.D
Acq On : 08 Aug 2022 11:44
Operator : SY/VA
Sample : N4030-04
Misc : 4.44g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0QB4

Quant Time: Aug 09 04:15:07 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 09 04:14:12 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 08/09/2022
Supervised By :Semsettin Yesilyurt 08/09/2022

