

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
 Data File : VW032064.D
 Acq On : 11 Aug 2025 14:22
 Operator : SY/MD
 Sample : Q2807-02
 Misc : 5.62g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COMP-5

Quant Time: Aug 12 04:25:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	187413	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	390308	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	377426	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	181852	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	133583	49.283	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	98.560%
35) Dibromofluoromethane	7.904	113	122232	48.475	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	96.960%
50) Toluene-d8	10.325	98	449022	48.145	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	96.300%
62) 4-Bromofluorobenzene	12.617	95	165931	48.279	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	96.560%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
Data File : VW032064.D
Acq On : 11 Aug 2025 14:22
Operator : SY/MD
Sample : Q2807-02
Misc : 5.62g/5mL/MSVOA_W/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
COMP-5

Quant Time: Aug 12 04:25:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

