

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
 Data File : VW032068.D
 Acq On : 11 Aug 2025 15:50
 Operator : SY/MD
 Sample : Q2823-01
 Misc : 5.27g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SU-04-081125

Quant Time: Aug 12 04:26:58 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	167482	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	373082	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	349028	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	174882	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	137601	56.807	ug/l	0.00
Spiked Amount	50.000	Range 63 - 155	Recovery	= 113.620%		
35) Dibromofluoromethane	7.904	113	122427	50.794	ug/l	0.00
Spiked Amount	50.000	Range 70 - 134	Recovery	= 101.580%		
50) Toluene-d8	10.325	98	444124	49.819	ug/l	0.00
Spiked Amount	50.000	Range 74 - 123	Recovery	= 99.640%		
62) 4-Bromofluorobenzene	12.617	95	169518	51.600	ug/l	0.00
Spiked Amount	50.000	Range 17 - 146	Recovery	= 103.200%		
Target Compounds						
16) Acetone	4.167	43	3906	6.965	ug/l	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
Data File : VW032068.D
Acq On : 11 Aug 2025 15:50
Operator : SY/MD
Sample : Q2823-01
Misc : 5.27g/5mL/MSVOA_W/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SU-04-081125

Quant Time: Aug 12 04:26:58 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

