

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081224\
 Data File : VW029888.D
 Acq On : 12 Aug 2024 13:32
 Operator : SY/MD
 Sample : P3481-05
 Misc : 5.78g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0AD7

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 08/13/2024
 Supervised By :Mahesh Dadoda 08/13/2024

Quant Time: Aug 13 01:27:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 13 01:26:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	222582	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	213048	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	90894	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	47261	14.956	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	59.840%		
7) Chloroethane-d5	2.899	69	46785	20.738	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.960%		
11) 1,1-Dichloroethene-d2	4.021	65	21732	15.066	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	60.280%		
21) 2-Butanone-d5	7.081	46	32089	37.051	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	74.100%		
24) Chloroform-d	7.648	84	135251	23.473	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	93.880%		
26) 1,2-Dichloroethane-d4	8.307	65	76775m	23.394	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	93.560%		
32) Benzene-d6	8.276	84	234149	20.341	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	81.360%		
36) 1,2-Dichloropropane-d6	9.276	67	77305	21.032	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	84.120%		
41) Toluene-d8	10.325	98	209638	20.482	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.920%		
43) trans-1,3-Dichloroprop...	10.575	79	29474	19.817	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	79.280%		
47) 2-Hexanone-d5	10.922	63	23162	38.216	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	76.440%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	68031	24.927	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	99.720%		
66) 1,2-Dichlorobenzene-d4	13.848	152	77038	27.296	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	109.200%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081224\
Data File : VW029888.D
Acq On : 12 Aug 2024 13:32
Operator : SY/MD
Sample : P3481-05
Misc : 5.78g/10mL/MSVOA_W/SOIL/B
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E0AD7

Quant Time: Aug 13 01:27:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 13 01:26:37 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 08/13/2024
Supervised By :Mahesh Dadoda 08/13/2024

